BALTIMORE, MD

CAMDEN, NJ

DENVER, CO

SALT LAKE CITY, UT

WASHINGTON, DC

LAW OFFICES

BALLARD SPAHR ANDREWS & INGERSOLL, LLP

1735 MARKET STREET, BIST FLOOR PHILADELPHIA, PENNSYLVANIA 19103-7599 215-665-8500

FAX: 215-864-8999 LAWYERS@BALLARDSPAHR.COM

SAMANTHA R. CORSON DIRECT DIAL: 215-864-8127 CORSON@BALLARDSPAHR.COM

August 15, 2000

By Hand Delivery

Mr. Joseph McDowell U.S. Environmental Protection Agency (3HS21) 1650 Arch Street Philadelphia, Pennsylvania 19103

> Re: Crater Resources Superfund Site

Dear Mr. McDowell:

Enclosed please find comments on behalf of Beazer East, Inc., Keystone Coke Company and Vesper Corporation with respect to portions of the Proposed Remedial Action Plan for the Crater Resources Superfund Site.

Very truly yours,

Samantha R. Corson

SRC:krm **Enclosure**

Curtis W. Jones (w/enc. - via UPS) cc: Gene J. Gonsoulin, Ph.D. (w/enc. - via UPS) Douglas F. Schleicher, Esquire (w/enc. - via UPS) William F. Giarla, Esquire (w/enc. - via UPS) Joseph J. McGovern, Esquire (w/enc. - via UPS)

14 August 2000

Reference: H4904.00.01

Mr. Joseph McDowell U.S. Environmental Protection Agency (3HS21) 1650 Arch Street Philadelphia, Pennsylvania 19103

Re: In the Matter of: Crater Resources, Inc. Site,

Upper Merion Township, Montgomery County, Pennsylvania,

Dkt. No. III-94-42-DC

Former Waste Ammonia Liquor (WAL) Pipeline
Investigations, Excavation Activities and Findings -

Flint Hill Road and Keystone Parcel

Dear Mr. McDowell:

Please accept the following as comments on behalf of Beazer East, Inc. (Beazer), Keystone Coke Company (Keystone) and Vesper Corporation (Vesper) with respect to portions of the Proposed Remedial Action Plan (PRAP) for the Crater Resources, Inc. NPL Site (Site) dealing with the route of the former WAL pipeline running from the former Rainey Wood/Alan Wood/ Keystone Coke Company coke plant at River Road to the quarries comprising the Site.

The PRAP designates the entire pipeline route running southwest from the coke plant to Quarry 3 and between Quarries 1, 2 and 3 as an area to be investigated further and, as necessary, remediated. The PRAP also acknowledges that many portions of the pipeline route have already been investigated and fully remediated but indicates that areas may remain which have not been investigated or remediated.

As you know, the Crater PRPs stated their legal position before the PRAP was issued that pipeline portions beyond Renaissance Boulevard should not be part of the Site. The Crater PRPs have also previously submitted technical information to EPA which discuss virtually all portions of the pipeline route. By this letter, we are asking EPA to review the technical merits of two reports, namely:

Environmental Resources Management


Princeton Crossroads v 250 Phillips Blvd. Suite 280 Ewing, NJ 08618 (609) 895-0050 (609) 895-0111 (fax) http://www.erm.com



- The PADEP-approved Act 2 Final Report for the former WAL pipeline route on the Keystone Parcel between River Road and Flint Hill Road; and
- The Flint Hill Road excavation completed by ERM, provided to EPA in Appendix J of the RI for the Site.

Beazer, Keystone and Vesper have remediated the portion of the route between the right of ways of River Road and Flint Hill Road under the Pennsylvania Department of Environmental Protection (PADEP) Act 2 Program, submitted the results of the investigation and cleanup to PADEP and EPA before the PRAP issuance and obtained a PADEP approval for that cleanup. Nevertheless, this area has been designated as an area where investigation and remediation may be required. As a result, the affected property owners, potentially responsible parties, the host municipality, and the public at large may be unable to tell what EPA means in the PRAP and what should be done. As the PRAP is currently written, there is uncertainty about EPA's view of this work, and this uncertainty has already manifested itself in public discomfort resulting in opposition to attempts by O'Neill Property to obtain land use approvals for land lying over a portion of the route lying between Quarries 1 and 2. The PRPs believe the Keystone and Flint Hill Road portions of the pipeline route have been satisfactorily remediated, and that it is not consistent with good policy, the NPL or the requirements of public notice and comment required under CERCLA to burden properties lying along the entire pipeline route as part of a site to be remediated under a ROD when they have been remediated and shown safe.

We are asking EPA to clarify this issue before a ROD is issued so that the type of public comment and confusion which occurred in connection with the O'Neill land development proposal does not happen for the referenced pipeline portions. In an effort to assist EPA's evaluation of the Crater Resources, Inc. Site final remedy, Environmental Resources Management, Inc. (ERM) has prepared this summary for the former WAL pipeline route on the Keystone Parcel and Flint Hill Road. Although all of this background information should be in EPA's files, this letter also presents a summary of the data that has been gathered regarding the investigation, removal and remediation of the former WAL pipeline route. The locations of the former WAL pipeline investigation and excavation activities described herein are shown on Figure 1.



Segment 1 -- Keystone Parcel Between River Road and Flint Hill Road

In December 1999, ERM excavated the entire length of the suspected former WAL pipeline route (2,150 ft) on the Keystone Parcel to the right-of-ways for River Road and Flint Hill Road. This work was done under PADEP's Act 2 Program. A four-inch buried pipeline was found in places along the route, lying directly beneath the route of the former above ground pipeline, which had been removed previously. Where it was found, the buried pipeline was approximately one to two feet below the ground surface. All remaining pipeline and adjacent soils were transported off-Site for proper disposal. No visually stained soils were observed during the excavation.

Sixteen confirmatory soil samples collected from the floor of the excavation and six surface soil samples taken from the surface of the backfilled excavation were analyzed for Target Compound List (TCL) volatile organic compounds (VOCs), TCL semivolatile organic compounds (SVOCs), Target Analyte List (TAL) metals and EPA Contract Laboratory Program (CLP) cyanide. The analytical data were compared to the appropriate Act 2 Statewide Health Standard Medium-Specific Concentrations (MSCs) for non-residential direct contact with soils and protection of soil-to-ground water for non-residential soils. No exceedences of the Statewide Health Standard MSCs for Non-Residential Soils were detected. An Act 2 Release of Environmental Liability for the excavation work on the Keystone Parcel was received in July 2000. Several additional background samples were taken and the analytic results of these and the Act 2 results were evaluated under the criteria employed in EPA's risk assessment for the Site, demonstrating that the levels found at the pipeline did not pose an unacceptable risk. These results and memoranda were submitted to EPA. The PADEP-approved Act 2 Final Report, the PADEP approval letter and the memorandum providing the Act 2 Final Report to EPA are provided as Attachment 1.

Segment 2 -- Flint Hill Road

In May 1997, ERM removed a section of the former WAL pipeline approximately 40 ft in length beneath Flint Hill Road after discovery of the pipeline by Upper Merion Township Workers and EPA. Small areas of visually impacted soils were noted within one or two feet of the pipeline. The pipe and associated visually impacted soils were removed and transported off-site for proper disposal.

Eleven post-excavation soil samples were analyzed for TCL VOCs, TCL SVOCs, TAL metals and CLP cyanide. All detected concentrations were below the PADEP Act 2 Statewide Health Standard MSCs. A Summary of Flint Hill Road Soil Remediation Activities is provided as Attachment 2.

Summary

The various investigations/remediations of the former WAL pipeline route from River Road to Flint Hill Road show the following:

- The former WAL pipeline has been investigated and all remaining pipeline segments noted herein were removed between the right-ofway at River Road and Flint Hill Road.
- Little or no impacts to soil were observed along the former WAL pipeline.
- Where present before removal, the pipeline was consistently found at a depth of 2-3 feet below grade surface and 5 feet or more below grade surface at road crossings.
- Small segments (5-10 feet in length) of pipe may remain (e.g., between the Flint Hill Road right-of-way and the road shoulder). These segments should not pose a risk to human health or the environment, but they could readily be investigated by magnetometer survey and removed where identified.

In light of the foregoing, the PRPs ask that EPA seek to avoid burdening the Keystone Parcel as part of the Superfund Site. If you have any questions relating to this letter, feel free to contact me at (609) 895-0050.

Sincerely,

/ Richard J. Dulcey, P.E., CHMM

Principal

RJD/rls

attachments: 2

cc:

- R. McKinstry Ballard, Spahr, Andrews & Ingersoll
- D. Schleicher Klehr, Harrison, Harvey, Branzburg & Ellers
- B. Giarla Beazer East, Inc.
- J. McGovern Obermayer, Rebmann, Maxwell & Hippel
- R. Baker ERM
- R. Shuler ERM

Attachments

TABLE OF CONTENTS

1.0	INT	RODUCTION	1
2.0	SITE	CHARACTERIZATION	. 4
3.0		CRIPTION OF PIPELINE EXCAVATION AND DISPOSAL IVITIES	5
	3.1	MAGNETOMETER SURVEY	5
	3.2	PIPELINE REMOVAL AND OFF-SITE DISPOSAL	5
	3.3	POST-EXCAVATION CONFIRMATORY SAMPLING	6
4.0		IONSTRATION OF ATTAINMENT OF STATEWIDE HEALTH NDARDS FOR SOILS	7
5.0	ECO	LOGICAL SCREENING ASSESSMENT	8
	5.1	PRESENCE OF LIGHT PETROLEUM PRODUCTS	8
	5.2	SITE SIZE	9
	5.3	SUMMARY	9
6.0	POS	T-REMEDIATION CARE PLAN	10
7.0	CON	CLUSIONS	11

LIST OF FIGURES

E

F

1-1	Site Location Map	following page 1
3-1	Sample Location Map	following page 5
LIST OF TA	BLES	
4-1	Confirmatory Sampling Results for Regulated Substances with at Least One Detect	following page 7
4-2	Surface Soil Sampling Results for Regulated Substances with at Least One Detect	following page 7
	,	
LIST OF AP	PENDICES	
A	Bills of Lading for Disposed Materials	
В	Field Representative Daily Reports	
С	Analytical Data Package: Confirmatory Sampling - Org (Not Included with This Copy of the Report)	ganics
D	Analytical Data Package: Confirmatory Sampling - Ino (Not Included with This Copy of the Report)	rganics

Analytical Data Package: Surface Soil Sampling - Organics

Analytical Data Package: Surface Soil Sampling - Inorganics

(Not Included with This Copy of the Report)

(Not Included with This Copy of the Report)

Keystone Coke Company Vesper Corporation Beazer East Incorporated

Act 2 Statewide Health
Standard Final Report
Keystone Coke Company
Suspected Former Pipeline
Corridor,
Upper Merion Township,
Montgomery County,
Pennsylvania

27 April 2000

Environmental Resources Management, Inc.
Princeton Crossroads Corporate Center
250 Phillips Boulevard, Suite 280
Ewing, New Jersey 08618
ERM Reference Number H4904.00.01

EXECUTIVE SUMMARY

The Keystone Coke Company Suspected' Former Pipeline Corridor Site is located in Upper Merion Township, approximately one mile northwest of Conshohocken. For the purposes of this Act 2 Statewide Standard Final Report, the "Site" is defined as the one-half acre tract of land immediately beneath which the underground waste ammonia liquor (WAL) pipeline was located prior to its excavation in December 1999. The Site is located on a larger, vacant, 63-acre parcel of land owner by Keystone Coke Company located between the right of ways of Flint Hill Road and River Road (Route 23).

Alan Wood Steel Co. and its predecessor, Rainey-Wood Coke Co., operated a coke and coke byproduct manufacturing facility in nearby Swedeland, Pennsylvania from 1919 until 1977. After Alan Wood declared bankruptcy in 1977, the manufacturing facility and adjacent vacant property were sold to Keystone Coke Company. The adjacent vacant property is and was traversed by the Site, which, in 1977, contained an above-grade WAL pipeline. Keystone Coke Company operated the manufacturing facility from 1978 until its closure in 1981. At various times between closure and 1991, Keystone Coke Company dismantled all remaining structures associated with the coke plant and removed all above ground portions of the WAL pipeline.

In 1998, a buried section of the WAL pipeline running beneath Flint Hill Road was discovered and removed. This is believed to have been a portion of the above grade WAL pipeline, which ran underground to cross the road at this point. However, shortly after the Flint Hill Road segment was removed, Liberty Property Trust discovered sections of underground pipeline on property owned by Liberty during construction activities. This underground pipe was located along the route of another section of the above grade WAL pipeline, which had been removed by Liberty's predecessor in title. Because of the discovery of buried pipeline sections on Liberty's property, Keystone Coke Company, Vesper Corporation and Beazer East, Inc. suspected that an underground pipeline may have run beneath the route of the WAL above-grade pipeline on Keystone's property.

^{&#}x27;The term "suspected" is used because at the time the NIR was submitted, the existence of an underground pipeline was suspected. Excavation activities confirmed the presence of the former underground pipeline.

In December 1999, Keystone Coke Company (Keystone), Beazer East Incorporated (Beazer) and Vesper Corporation (Vesper) retained Environmental Resources Management, Inc. (ERM) to undertake the following activities pertaining to the suspected underground WAL pipeline on the Site:

- Conduct a magnetometer survey to determine the presence or absence of the buried WAL pipeline;
- Remove any existing pipeline and adjacent suspect soils for proper off-Site disposal; and
- Complete post-excavation confirmatory sampling and analyses.

As a conservative measure, the excavation was planned to remove all soils immediately adjacent to the pipeline as wells as soils showing visual or olfactory evidence of impact from pipeline contents. However, no evidence of leakage or stained soils or odors were observed at any location along the former pipeline route. Where no pipe, stained soils or odors were present, the soils were replaced into the excavation. All excavated pipeline remnants and associated soils were stockpiled and subsequently transported off-Site for proper disposal.

One post-excavation confirmatory sample (collected 0-6 inches below the floor of the excavation) was taken in the floor of the excavation (3.5 ft below original grade) every 150 feet (measured from the right of way of River Road) along the length of the suspected pipeline corridor on the Site, including locations where no pipe was found. Once the confirmatory samples were collected, the excavation was backfilled with the Site soils remaining along the perimeter of the excavation to restore the Site to its original grade. Surficial soil samples (6-12 inches below grade) were collected at 300 ft intervals along the former pipeline route to confirm that the newly-placed surficial soils met Act 2 Statewide Health Standards for Non-Residential areas.

The analytical data were compared to the appropriate Statewide Health Standard MSCs for non-residential direct contact with soils and soil-to-ground water for non-residential soils. No exceedences of the Statewide Health Standard MSCs for Non-Residential Soils were detected in either the post-excavation confirmatory samples taken in the floor of the excavation or in the surficial soil used as fill. Therefore, the soils remaining on-Site meet the Statewide Health Standards for Non-Residential Soils.

Due to the small size of the Site (i.e., less than one-half acre), no substantial ecological impact exists at the Site and no further ecological evaluation is required under Act 2.

Keystone Coke Company, Beazer East Incorporated and Vesper Corporation request cleanup liability protection, as is provided in Chapter 5, Section 501, of the Land Recycling and Environmental Remediation Standards Act, for all regulated substances analyzed for in soil on the Site, including the following regulated substances detected in soil for which attainment of the Statewide Health Standards for soils has been demonstrated using the Non-Residential Medium-Specific Concentrations:


Inorganics Volatile Organics		Semivolatile Organics				
Aluminum Antimony Arsenic Barium Beryllium Cadmium Chromium Cobalt Copper Cyanide Iron Lead Manganese Mercury Nickel Selenium Vanadium Zinc	Acetone Benzene 2-Butanone Carbon Disulfide Dichloromethane Ethylbenzene Toluene 1,1,2-Trichloroethane Xylenes (total)	Acenaphthene Acenaphthylene Acetophenone Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(k)fluoranthene Butylbenzylphthalate Carbazole 4-Chloro-3-methylphenol Chrysene o-Cresol (2-Methylphenol) p-Cresol (4-Methylphenol) Dibenzo(a,h)anthracene Di-n-butylphthalate Fluoranthene	Fluorene Indeno(1,2,3-cd)pyrene 2-Methylnaphthylene Naphthalene 2-Nitrophenol Phenanthrene Phenol Pyrene			

The Keystone Coke Company Suspected Former Pipeline Corridor Site is located in Upper Merion Township, approximately one mile northwest of Conshohocken (see Figure 1-1). For the purposes of this Act 2 Statewide Health Standard Final Report, the "Site" is defined as the tract of land on which the underground waste ammonia liquor (WAL) pipeline was located prior to its excavation in December 1999. The length of the Site was 2,100 ft and the width of the excavation area was less than 10 ft. Therefore, the total area of the Site is estimated at 21,000 square feet or approximately one-half acre. The Site is a part of a larger vacant property owned by Keystone Coke Company (Keystone). That larger property is comprised of approximately 63 acres. The Site runs from the right of way (ROW) of River Road (Route 23) to the ROW of Flint Hill Road and the larger vacant property is located between those two roads.

Alan Wood Steel Co. and its predecessor, Rainey-Wood Coke Co., operated a coke and coke byproduct manufacturing facility near Swedeland, Pennsylvania from 1919 until 1977. The manufacturing facility was located on the west side of the Schuylkill River, and was bordered by River Road (Route 23) to its west. The subject Site and the larger vacant property on which the Site is located are immediately west of River Road and extend to Flint Hill Road. After Alan Wood declared bankruptcy in 1977, the manufacturing facility and the adjacent vacant property were sold to the Keystone Coke Company. Keystone Coke Company operated the manufacturing facility from 1978 until its closure in 1981.

The coking process typically generates coal gas, light oils, tarry materials containing phenolic compounds and naphthalene, ammonia, phenols, cyanide, and associated wastewaters. WAL is a liquid waste generated during the coke byproduct recovery process. Alan Wood or its predecessor constructed a fixed pipeline (herein referred to as the WAL pipeline) to pump wastewater (which was often referred to as WAL) from the plant to quarries approximately one mile west of the Site. It is believed that Alan Wood began discharging WAL to one or more of the quarries at some point between 1919 and 1924. Over time, various

^{&#}x27;The term "suspected" is used because at the time the NIR was submitted, the existence of an underground pipeline was suspected. Excavation activities confirmed the presence of the former underground pipeline.



changes were made to improve tar recovery at the coke plant, and the overall nature of the WAL improved. These improvements included, first, the construction of a tar recovery plant, then, in the 1970's the installation of a wastewater treatment plant, and, finally, the upgrade of the wastewater treatment plant after 1977.

Discharge to the quarry ceased on 31 December 1980, when Keystone Coke Company implemented a zero discharge system. The coke plant ceased operating altogether in 1981.

At the time Keystone Coke Company purchased the coke manufacturing plant, the WAL pipeline was an above ground structure for most of its length, resting on railroad ties, such that the bottom of the pipe was approximately one foot above the ground. The pipeline ran underground only where it crossed roads (so as not to interfere with traffic). At various times between closure of the coke plant and 1991, Keystone dismantled all remaining structures associated with the coke plant and removed all above ground portions of the WAL pipeline located on property owned by Keystone. This included all above ground portions of the pipeline running from River Road to Flint Hill Road. The ends of any portion of the pipeline running underground was capped, although the pipeline was dry at the time of removal (since use of the pipeline had ceased years before). In 1998, a buried section of the WAL pipeline running beneath Flint Hill Road was discovered by Upper Merion Township workers and that portion of the pipeline and associated contaminated soils were voluntarily removed by Beazer East Incorporated (Beazer), Keystone, and Vesper Corporation (Vesper) under USEPA oversight. This was and still is believed to have been a portion of the above grade WAL pipeline which ran underground to cross the road at this point, as discussed above.

Shortly after the Flint Hill Road segment was removed, Liberty Property Trust discovered sections of underground pipeline on property owned by Liberty during construction activities. This underground pipe was located along the route of another section of the above grade WAL pipeline, which had been removed by Liberty's predecessor in title. It is believed that the underground pipeline must have been abandoned at some time prior to the early 1950's, in light of witness recollection that the pipeline was located above ground during the interviewee's earliest memories from that period. Because of the discovery of buried pipeline sections on Liberty's property, Keystone, Vesper and Beazer (the "Group") suspected that an underground pipeline might exist along the route of the former WAL above ground pipeline on the Site. The Group considered the possibility that leaks from any of the pipelines may have occurred and initiated an action to investigate and remove any underground pipeline, associated soils and any contamination that might be encountered. The

remainder of this Act 2 Statewide Health Standard Final Report is organized into the following sections:

Section 2: Site Characterization

Section 3: Description of Pipeline Excavation and Removal Activities

Section 4: Demonstration of Attainment of Non-Residential Statewide

Health Standards for Soils

Section 5: Ecological Screening Assessment

Section 6: Post-Remediation Care Plan

Section 7: Conclusions

2.0 SITE CHARACTERIZATION

No pre-remediation site characterization soil or ground water quality sampling was conducted as part of the pipeline excavation and removal activities. Based upon site characterization data collected during other site investigations in the area, the following general site characterization data are applicable for the Site.

The site is underlain by a narrow east-west trending band of the Cambrian-aged Elbrook Formation. The Elbrook Formation is characterized as a light-gray to yellowish-gray, finely-laminated, siliceous limestone with interbeds of dolomite. It is moderately resistant to weathering, with an overlying soil mantle that is thin to moderately deep and characterized by pinnacles. The contact between the Elbrook Formation and the Ordivician-aged Conestoga Formation occurs just a few yards south of the site. The Conestoga Formation is a medium gray, micaceous, impure limestone with shale and phyllitic partings. It unconformably overlies the Elbrook Formation.

Regionally, both carbonates have a strike ranging from north 75 degrees east (N75E) to north 85 degrees east (N85E). Dip angles are southerly and range from 45 degrees to nearly 70 degrees. Locally, the strike of the Conestoga was measured at N85W with an average dip of 66 degrees southwest.

The McCoy Quarry is located approximately 1,300 feet northwest of the Site and pumps approximately 2.6 million gallons per day (MGD) to dewater the quarry, based on review of their 1998 Annual Ground Water Withdrawal Report filed with the Delaware River Basin Commission. Due to the pumping and the resulting cone of depression that is created, the direction of the hydraulic gradient beneath the Site is expected to be north/northwest toward the quarry. However, due to the proximity of the Schuylkill River, a component of the hydraulic gradient may flow to the east.

Residential use of the Site is highly unlikely. The Site has historically been and is currently zoned heavy industrial. If residential use of any portion of the Site were to be proposed, it would require Township approval of a zoning change for the Site.

3.0 DESCRIPTION OF PIPELINE EXCAVATION AND DISPOSAL ACTIVITIES

In December 1999, Keystone Coke Company, Beazer East Incorporated and Vesper Corporation retained Environmental Resources Management, Inc. (ERM) to undertake the following activities pertaining to the on-Site WAL pipeline:

- Conduct a magnetometer survey to determine the presence or absence of any buried WAL pipeline;
- Remove any existing pipeline, adjacent soils and any contaminated soils for proper off-Site disposal; and
- Complete post-excavation confirmatory sampling and analyses.


Each of these activities is described in detail, below.

3.1 MAGNETOMETER SURVEY

ERM used a Schonstedt GA-52B magnetic locator to survey the potential pipeline locations. Locations identified by the magnetic locator with a positive response for buried magnetic anomalies were marked for later excavation. Following completion of the magnetometer survey, ERM excavated several areas identified by the magnetic locator as potential pipeline locations to determine the linear extent and depth of the pipeline. Where the pipeline was present, it was buried approximately two to three feet below ground surface. Figure 3-1 indicates the segments of the pipeline where the pipe existed as confirmed by the magnetometer survey and subsequent exploratory excavation.

3.2 PIPELINE REMOVAL AND OFF-SITE DISPOSAL

The entire length of the pipeline route was excavated to the ROWs for Flint Hill and River Roads and any remaining pipeline and adjacent soils were removed. The end of the pipe within the ROWs was sealed with expandable foam. As a conservative measure, the excavation was planned to remove all soils immediately adjacent to the pipeline as well as soils with staining, odors or elevated photoionization detector (PID) readings that would suggest a possible impact from releases, if any, of pipeline contents. However, no stained soils, odor or other evidence of leakage was observed at any location along the pipe. One segment of pipe, approximately 1,300 feet west of River Road, contained black water. This



pipe segment was removed and the remaining soils were overexcavated to be certain that none of the black water that may have drained to the surrounding soils during the excavation remained in the excavated area. No PID detections were observed at any location along the length of the excavation during the excavation activities. All excavated soils were stockpiled and subsequently transported off-Site for proper disposal. A total of 193.5 tons of soil (2,722 cubic yards) and pipeline segments were removed and transported off-Site to the Clean Rock Industries Landfill in Hagerstown, Maryland for proper disposal. Bills of lading for the disposed materials are provided in Appendix A.

3.3 POST-EXCAVATION CONFIRMATORY SAMPLING

One post-excavation confirmatory sample was taken in the floor of the excavation (3.5 ft below original grade) every 150 feet (measured from the ROW of River Road) along the length of the pipeline excavation (sixteen sample locations). *PA Code*, Chapter 250, Section 703(d)(2) requires that at least twelve samples be collected for soil volumes up to 3,000 cu. yd.

Once the confirmatory samples were collected, the excavation was backfilled with the Site soils remaining along the perimeter of the excavation to restore the Site to its original grade. Surficial soil samples (6-12 inches below grade) were collected at 300 ft intervals along the former pipeline route to confirm that the newly-placed surficial soils met Act 2 Non-Residential Statewide Health Standards (six sample locations). Copies of the Field Representative Daily Reports are included as Appendix B. Soil sampling locations are presented in Figure 3-1.

All soil samples were collected using properly decontaminated stainless steel hand tools and En-Core samplers. Confirmatory samples were collected from the floor of the excavation (0-6 inches below the surface of the excavation). Surficial samples were collected from depth of 6-12 inches below grade.

All of the surficial samples (designated "SS") and confirmatory samples (designated "CS") were analyzed by Severn Trent Laboratories (STL) in Houston, Texas (Pennsylvania Laboratory Certification Number 82004). Each of the soil samples was analyzed for Target Compound List (TCL) volatile organic compounds, TCL semivolatile organic compounds, Target Analyte List (TAL) metals and USEPA Contract Laboratory Program (CLP) cyanide. The full STL analytical data packages for the soil samples are provided in Appendices C through F.

DEMONSTRATION OF ATTAINMENT OF STATEWIDE HEALTH STANDARDS FOR SOILS

The analytical results for the post-excavation confirmatory sampling and post-backfilling surficial soil sampling are summarized in Tables 4-1 and 4-2, respectively. Only those regulated substances with at least one positive detection are shown on Tables 4-1 and 4-2. Analytical results for benzene, ethylbenzene, toluene and total xylenes are also presented in these tables because these compounds were typically present in the WAL.

The analytical data were compared to the appropriate Statewide Health Standard MSCs for non-residential direct contact with soils and soil-to-ground water for non-residential soils. No exceedences of the Statewide Health Standard MSCs for Non-Residential Soils were detected. Therefore, the soils remaining on-Site meet the Statewide Health Standards for Non-Residential Soils.

Keystone, Beazer and Vesper request Cleanup Liability Protection, as is provided in Chapter 5, Section 501, of the Land Recycling and Environmental Remediation Standards Act, for all regulated substances analyzed for in soil on the Site, including the following regulated substances detected in soil for which attainment of the Statewide Health Standards for soils has been demonstrated using the Non-Residential Medium-Specific Concentrations:

<u>Inorganics</u>	Volatile Organics	Semivolatile Organics			
Aluminum Antimony Arsenic Barium Beryllium Cadmium Chromium Cobalt Copper Cyanide Iron Lead Manganese Mercury Nickel Selenium Vanadium Zinc	Acetone Benzene 2-Butanone Carbon Disulfide Dichloromethane Ethylbenzene Toluene 1,1,2-Trichloroethane Xylenes (total)	Acenaphthene Acenaphthylene Acetophenone Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(ghi)perylene Benzo(k)fluoranthene Butylbenzylphthalate Carbazole 4-Chloro-3-methylphenol Chrysene o-Cresol (2-Methylphenol) p-Cresol (4-Methylphenol) Dibenzo(a,h)anthracene Di-n-butylphthalate Fluoranthene	Fluorene Indeno(1,2,3-cd)pyrene 2-Methylnaphthylene Naphthalene 2-Nitrophenol Phenanthrene Phenol Pyrene		

4.0

Table 4-1
Confirmatory Sampling Results for
Regulated Substances with at Least One Detect
Keystone Coke Company Suspected Former Pipeline Carridor
Upper Merion Township, Montgomery County, Pennsylvania

ERM ID		PADEP Act 2 Non-Residential MSC (16 Aug 97)		CS-150	CS-300	CS-450	CS-\$25	CS-600
Lab ID	Non-Residentia	Soil to GW	CS-000 294768	294769	294770	294771	294772	294773
CABID	Subsurface Soil	Used Aquifer	274700	274,07	274770	474//1	274//2	294//3
Date Sampled	(2-15 ft)	(TDS ≤ 2500)	21-Dec-99	21-Dec-99	21-Dec-99	21-Dec-99	21-Dec-99	21-Dec-99
Inorganics								<u> </u>
Aluminum	190,000	NA	27,800	16,600	21,100	22,400	10,600	16,100
Arsenic	190,000	150	13.4	5.6	8.8	9.9	<0.88	< 0.9
Barium	190,000	8,200	38.9 B	34.6 B	39.9 B	48.5 B	51.1	44.5 B
Beryllium	190,000	320	0.65 B	<0.05	<0.05	0.62 B	<0.05	<0.05
Cadmium	190,000	38	0.49 B	0.33 B	0.51 B	2	0.13 B	0.14 B
Chromium	190,000	970	11.5	18.9	21.3	31.2	22.6	16.1
Cobalt	190,000	610	19.9	8,2 B	5.7 8	13.9 B	7.4 B	6.1 B
Copper	190,000	36,000	36.7	20.8	24.3	47.6	16.9	16.1
Cyanide	190,000	200	2.1	8.2	14.3	15.8	1.1	13.2
[ron	190,000	NA NA	34,200	30 ,700	35,400	58,400	24,300	26,600
Lead	190,000	450	2.2	14.0	14.2	15.9	8.6	9.8
Manganese	190,000	NA	72	132	129	150	184	130
Mercury	190,000	10	0.1 B	<0.04	<0.04	<0.05	< 0.04	<0.04
Nickel	190,000	650	36.1	10.9	11.0	20.3	12.2	10.2
Selenium	190,000	26	2.1	1.6	3.3	5.5	2.6	<1.4
Vanadium	190,000	72,000	34.0	48.8	50.3	62.6	41.3	42.6
Zinc	190,000	12,000	78.9	37. 8	44.7	129.0	40.5	43.6
Volatile Organic Compounds								
Acetone	10,000	1,000	0.01 J	<0.012	< 0.012	< 0.014	<0.012	< 0.012
Benzene	230	0.5	<0.012	< 0.012	<0.012	< 0.014	<0.012	< 0.012
Dichloromethane	4,000	0.5	0.006 JB	0.005 ЛВ	0.005 JB	0.006 JB	0.006 JB	< 0.012
Ethylbenzene	10,000	70	<0.012	< 0.012	< 0.012	< 0.014	<0.012	< 0.012
Toluene	10,000	100	<0.012	< 0.012	<0.012	< 0.014	<0.012	< 0.012
Xylenes (total)	10,000	1,000	<0.012	<0.012	<0.012	<0.014	<0.012	<0.012
Semivolatile Organic Compounds	}							
Acenaphthene	190,000	4,300	<0.39	<0.38	< 0.39	< 0.92	< 0.39	< 0.40
Acenaphthylene	190,000	4,400	<0.39	< 0.38	<0.39	< 0.92	< 0.39	< 0.40
Acetophenone	10,000	1,000	<0.39	< 0.38	< 0.39	< 0.92	< 0.39	< 0.40
Anthracene	190,000	230	<0.39	<0.38	< 0.39	< 0.92	< 0.39	< 0.40
Benzo(a)anthracene	190,000	320	<0.39	<0.38	< 0.39	< 0.92	<0.39	< 0.40
Benzo(a)pyrene	190,000	46	<0.39	<0.38	<0.39	<0.92	< 0.39	< 0.40
Benzo(b)fluoranthene	190,000	160	<0.39	<0.38	< 0.39	< 0.92	< 0.39	<0.40
Benzo(ghi)perylene	190,000	180	<0.39	<0.38	<0.39	<0.92	<0.39	<0.40
Benzo(k)fluoranthene	190,000	600	<0.39	<0.38	<0.39	<0.92	<0.39	< 0.40
Butylbenzyl phthalate	10,000	10,000	< 0.39	<0.38	< 0.39	<0.92	< 0.39	< 0.40
Carbazole	NR	NR	<0.39	<0.38	< 0.39	< 0.92	<0.39	< 0.40
Chrysene	190,000	220	<0.39	<0.38	<0.39	<0.92	<0.39	< 0.40
Cresol, p = (4-Methylphenol)	1,100	10	<0.39	<0.38	<0.39	<0.92	<0.39	< 0.40
Dibenzo(a,h)anthracene	190,000	160	<0.39	<0.38	< 0.39	<0.92	< 0.39	< 0.40
Di-n -butyl phthalate	10,000	4,100	<0.39	0. 079 J	0.05 J	<0.92	0.041 J	<0.40
Fluoranthene	190,000	3,300	<0.39	<0.38	0.021 J	< 0.92	<0.39	< 0.40
Fluorene	190,000	380	<0.39	<0.38	< 0.39	<0.92	<0.39	<0.40
Indeno(1,2,3-cd)pyrene	190,000	28,000	<0.39	<0.38	<0.39	<0.92	<0.39	<0.40
Methylnaphthalene, 2-	10,000	10,000	<0.39	<0.38	<0.39	<0.92	<0.39	< 0.40
Naphthalene	190,000	5	<0.39	<0.38	< 0.39	<0.92	<0.39	< 0.40
Phenanthrena	190,000	11,000	<0.39	<0.38	0.02 J	< 0.92	< 0.39	<0.40
Pyrene	190,000	720	<0.39	< 0.38	<0.39	<0.92	< 0.39	< 0.40

Notes:

All samples were collected at depths of 0-6 inches below the floor of the excavation.

All units presented in mg/kg (ppm).

All analytic results presented on a dry weight basis.

NA = Not applicable.

For Inorganics

8 = Reported value is less than CRDL but greater than IDL

For Organics

j = Estimated value.

B = Analyte also detected in a blank.

D = Result detected in a diluted sample.

Table 4-1
Confirmatory Sampling Results for
Regulated Substances with at Least One Detect
Keystone Coke Company Suspected Former Pipeline Corridor
Upper Merion Township, Montgomery County, Pennsylvania

		PADEP Act 2			XX-DUP			
ERM ID	Non-Residentia		CS-750	CS-900	(CS-908 DUP)	CS-1050	CS-1200	CS-1350
Lab ID	Direct Contact	Soil to GW	294774	294775	2 9 4789	294779	294780	294781
Date Sampled	Subsurface Soil (2-15 ft)	Used Aquifer (TDS ≤ 2500)	21-Dec-99	21-Dec-99	21-Dec-99	23-Dec-99	23-Dec-99	23-Dec-99
Inorganics	(8-1010)	(10011300)	21-12-0	21-040-77	21-040-99	23-060-77	23-040-77	23-060-77
Aluminum	190,000	NA	10,200	10,900	10,600	13,900	12,500	10.500
Arsenic	190,000	150	<0.91	2.4	1.1 8	13.8	2.4	4.0
Barium	190,000	8.200	78	57	65	37.1 B	35.2 B	63
Beryllium	190,000	320	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Cadmium	190,000	38	<0.07	<0.07	<0.07	0.27 B	0.2 B	0.23 B
- Chromium	190,000	970	20.0	15.7	18.3	24.0	18.8	18.9
Cobalt	190,000	610	4.4 8	10.9 B	11.5 B	7.6 3	11.6 B	4.9 B
Copper	190,000	36,000	15.9	15.7	16.2	16.8	17.1	14.7
Cyanide	190,000	200	2.8	1.2	1.4	6.7	12.6	4.5
lron	190,000	NA	17,900	22,200	23,000	27,900	25,600	25,300
Lead	190,000	450	10.2	10.2	9.4	11.0	11.0	9.9
Manganese	190,000	NA	67	180	180	230	252	102
Mercury	190,000	10	<0.04	<0.04	<0.04	< 0.04	<0.04	<0.04
Nickel	190,000	650	9.9	15.4	14.9	9.5	12.7	10.9
Selenium	190,000	26	<1.4	3.9	2.5	4.4	5.4	<1.3
Vanadium	190,000	72,000	37.1	41.2	41.3	45.8	4D.4	35.1
Zinc	190,000	12,000	51.4	39.7	38.2	38.2	40.9	37.1
Volatile Organic Compounds								
Acetone	10,000	1,000	< 0.012	< 0.012	<0.012	< 0.012	<0.012	<0.012
Benzene	230	0.5	<0.012	<0.012	< 0.012	< 0.012	< 0.012	<0.012
Dichloromethane	4,000	0.5	<0.012	< 0.012	< 0.012	<0.012	<0.012	0.008 JB
Ethylbenzene	10,000	70	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
Toluene	10,000	100	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
Xylenes (total)	10,000	1,000	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
Semivolatile Organic Compounds								
Acenaphthene	190,000	4,300	<0.81	<0.78	<0.39	<0.39	<0.39	< 0.39
Acenaphthylene	190,000	4,400	<0.81	<0.78	0.066 J	<0.39	<0.39	<0.39
Acetophenone	10,000	1,000	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39
Anthracene	190,000	230	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39
Benzo(a)anthracene	190,000	320	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39
Benzo(a)pyrene	190,000	46	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39
Benzo(b)fluoranthene	190,000	160	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39
Benzo(ghi)perytene	190,000	180	<0.81	<0.78	0.05 [<0.39	<0.39	<0.39
Benzo(k)fluoranthene	190,000	10,000	<0.81 <0.81	<0.78 <0.78	<0.39 <0.39	<0.39 <0.39	<0.39 <0.39	<0.39 <0.39
Butylbenzyl phthalate	10,000 NR	NR	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39
Carbazole Chrysene	190,000	220	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39
Cresoi, p - (4-Methylphenol)	1,100	10	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39
• • • • •	190,000	160	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39
Dibenzo(a,h)anthracene Di-n-butyl phthalate			0.078 J	<0.78	<0.39	<0.39	<0.39	<0.39
• •	10,000	4,100	0.078 J	<0.78	<0.39	<0.39	<0.39	<0.39
Fluoranthene	190,000	3,300 380	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39
Fluorene	190,000 190,000	28,000	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39
Indeno(1,2,3-cd)pyrene	10,000	10,000	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39
Methylnaphthaiene, 2-	190,000	10,000	0.053 J	<0.78	<0.39	<0.39	<0.39	<0.39
Naphthalene Phenanthrene	190,000	11,000	0.053 j 0.051 l	<0.78	<0.39	<0.39	<0.39	<0.39
rnenanthrene Pyrene	190,000	220	<0.81	<0.78	<0.39	<0.39	<0.39	<0.39

Notes

All samples were collected at depths of 0-6 inches below the floor of the excavation.

All units presented in org/kg (ppm).

All analytic results presented on a dry weight basis.

NA = Not applicable.

For Inorganics

8 = Reported value is less than CRDL but greater than IDL.

For Organics

J = Estimated value.

B = Analyte also detected in a blank.

D = Result detected in a diluted sample.

Table 4-1
Confirmatory Sampling Results for
Regulated Substances with at Least One Detect
Keystone Coke Company Suspected Former Pipeline Corridor
Upper Merion Township, Montgomery County, Pennsylvania

	PADE	PADEP Act 2					
ERM ID	Non-Residential	MSC (16 Aug 97)	CS-1500	CS-1650	CS-1800	CS-1875	CS-2050
Lab ID	Direct Contact	Soil to GW	294782	29 4783	294784	294785	294786
_	Subsurface Soil	Used Aquifer	ľ .				_
Date Sampled	(2-15 ft)	(TDS ≤ 2500)	23-Dec-99	23-Dec-99	23-Dec-99	23-Dec-99	23-Dec-99
uorganics							
Aluminum	190,000	NA 155	9,420	15,000	8,840	15,700	12,500
Arsenic	190,000	150	<0.82	<0.90	1.2 B	2.4 B	2.4
Barium	190,000	8,200	33.8 B	45.1 B <0.05	28.6 3	37.7 B	41.1 B
Beryllium	190,000	320 38	<0.04	<0.03 <0.07	<0.04 0.12 B	<0.05 <0.07	<0.05
Cedmium Chromium	190,000	970	0.21 B 16.7	22.4	0.12 B 25.5	<0.07 18.3	0.07 B 18.4
-nromium Sobalt	190,000 190,000	610	11.6	6.1 B	25.5 15.1	10.3 5 B	7.7 B
•	190,000	36,000	19.2	15.6	20.6	14.3	15. 0
Copper Evanide	190,000	200	1.4	9.4	2.6	3.8	1.3
-yanide Iron	190,000	NA	23,500	22,400	22,000	22.800	23,500
Lead	190,000	450	12.3	9.4	12.0	9.7	11.9
Mangan ese	190,000	NA NA	150	121	229	97	230
vianganese Mercury	190,000	10	<0.04	<0.04	<0.04	<0.04	<0.04
viercury Vickel	190,000	650	12.2	14.8	12.5	9.6 B	9.8
elenium	190,000	26	3.1	1.9	1.3	3.4	2.8
Vanadium.	190,000	72,000	34.3	40.7	28.6	38.5	35.7
Zinc	190,000	12,000	47.3	48.3	91.6	41.3	51.4
	}	54 ,233					• • • • • • • • • • • • • • • • • • • •
Tolatile Organic Compounds			1				
Acetone	10,000	1,000	<0.011	< 0.012	< 0.011	< 0.012	<0.012
Benzene	230	0.5	<0.011	< 0.012	< 0.011	< 0.012	< 0.012
Dichloromethane	4,000	0.5	<0.011	0.0 08]B	0.006 JB	0.007 JB	0.006 JB
Ithylbenzene	10,000	70	<0.011	<0.012	< 0.011	< 0.012	<0.012
l'oluene	10,000	100	<0.011	<0.012	<0.011	<0.012	<0.012
(ylenes (total)	10,000	1,000	<0.011	<0.012	<0.017	< 0.012	<0.012
iemivolatile Organic Compounds							
Acenaphthene	190,000	4,300	<0.37	<0.40	0.40	< 0.40	< 0.39
Acenaphthylene	190,000	4,400	<0.37	< 0.40	6.9 D	0.51	0.14 7
Acetophenone	10,000	1,000	<0.37	< 0.40	0.084 J	< 0.40	<0.39
Anthracene	190,000	230	<0.37	< 0.40	6.7 D	0.027 J	< 0.39
Benzo(a)anthracene	190,000	320	<0.37	< 0.40	49 D	< 0.40	< 0.39
Benzo(a)pyrene	190,000	46	< 0.37	< 0.40	46 D	0.14 J	< 0.39
Benzo(b)fluoranthene	190,000	160	<0.37	<0.40	48 D	0.064 J	< 0.39
Benzo(ghi)perylene	190,000	180	<0.37	< 0.40	24 D	0.29 J	0.098 J
Senzo(k)fluoranthene	190,000	600	<0.37	< 0.40	9.3 D	0.054 J	<0.39
Butylbenzyl phthalate	10,000	10,000	<0.37	< 0.40	<0.38	<0.40	0.037 J
Carbazole	NR	NR	<0.37	<0.40	0.88	< 0.40	< 0.39
Chrysene	190,000	220	<0.37	<0.40	41 D	<0.40	< 0.39
Cresol, p - (4-Methylphenol)	1,100	10	<0.37	<0.40	0. 082 J	<0.40	<0.39
Dibenzo(a,h)anthracene	190,000	160	<0.37	<0.40	7.3 D	0.07 J	< 0.39
Di-#-butyl phtholate	10,000	4,100	<0.37	< 0.40	0.19 J	0.21 J	< 0.39
Fluoranthene	190,000	3,300	<0.37	<0.40	74 D	<0.40	<0.39
luorene	190,000	380	<0.37	< 0.40	1.7	<0.40	< 0.39
ndeno(1.2,3-cd)pyrene	190,000	28,000	<0.37	<0.40	29 D	0.44	0.12 J
Methy Inaphthalene, 2-	10,000	10,000	<0.37	< 0.40	0.38	<0.40	<0.39
Naphthalene	190,000	5	<0.37	<0.40	0.72	0.057 J	<0.39
Phenanthrene	190,000	11,000	<0.37	<0.40	26 D	<0.40	< 0.39
Pvrene	190,000	220	< 0.37	< 0.40	71 D	0.022 J	0.022 J

Notes:

All samples were collected at depths of 0-6 inches below the floor of the excavation.

All units presented in mg/kg (ppm).

All analytic results presented on a day weight basis.

NA = Not applicable.

For inorganics

B = Reported value is less than CRDL but greater than IDL.

For Organica

- f = Estimated value.
- B = Analyte also detected in a blank.
- D = Result detected in a diluted sample.

Table 4-2
Surface Soil Sampling Results for
Regulated Substances with at Least One Detect
Reystone Coke Company Suspected Former Pipeline Corridor
Upper Merion Township, Montgomery County, Pennsylvania

ERM ID	PADEI Non-Residentia		SS-300	95-600	SS-900	SS-1200	SS-1500	SS-1800
Lab ID	Direct Contact Surface Soil	Soil to GW Used Aquifer	295311	295315	295316	295317	295318	295319
Date Sampled	(0-2 ft)	(TDS ≤ 2500)	27-Dec-99	27-Dec-99	27-Dec-99	27-Dec-99	27-Dec-99	27-Dec-99
Inorganics	<u> </u>			-				
Aluminum	190,000	NA	6,420	9,920	9,270	8,440	7,800	7,900
Antimony	1,100	27	1.2 B	0.88 B	0.99 B	<0.87	<0.82	<0.82
Arsenic	53	150	4.9	10.9	35.2	14.7	4.9	6.3
Barlum	190,000	\$,200	57.6	39.6 B	5 9 .7	69.6	53.9	111
Beryllium	18	320	0.57 B	0.62 B	0.45 B	0.53 B	0.41 B	0.81 B
Cadmium	1,400	38	0.48 B	1.1 B	0.62 B	0.91 B	0.48 B	0.50 B
Chromium	14,000	970	26.4	15.2	15.2	13.3	13.8	10.9
Cobalt	170,000	610	4.2 8	12.0	6.5 B	7.1 8	5.4 B	8.6 B
Copper	190,000	36,000	10.7	21.7	10.9	14.3	8.8	10.9
Cyanide	56,000	200	3.2	8.1	2.8	1.2 8	0.96 B	0.63 B
lron	190,000	NA	12,500	30,000	16,800	19,300	17,000	14,700
Lead	1,000	450 .	26.2	20.6	43.4	52.1	10.7	22.6
Manganese	130,000	NA	748	319	421	494	159	650
Mercury	240	10	0.09 8	0.08 B	1,4	0.61	<0.04	0.05 B
Nickel	56,000	650	4.5 8	12.8	9,3 B	10.2	7.8 B	9.4 B
Selenium	14,000	26	< 0.81	1.9	<0.85	<0.87	<0.82	<0.82
Vanadium	20,000	72,000	31.4	42.7	29.1	30.6	28.8	22.4
Zinc	190,000	12,000	53.4	78.0	67.5	103	36.1	49.2
Volatile Organic Compounds	Ţ							
Acetone	10,000	1,000	0.02	0.041	0.053	0.077	0.032	0.046
Benzene	200	0.5	< 0.01	< 0.01	0.003 J	<0.012	0.002 J	< 0.01
Butanone, 2- (MEK)	10,000	580	< 0.01	< 0.01	0.009 J	<0.012	< 0.01	0.01 J
Carbon disulfide	10,000	410	0,002]	< 0.01	<0.011	<0.012	< 0.01	< 0.01
Dichloromethane	3,500	0.5	0.004 JB	0.005 JB	0.006 JB	0.009 JB	0.005 JB	0.006 JB
Ethylbenzene	10,000	70	< 0.01	< 0.01	<0.011	<0.012	< 0.01	< 0.01
Toluene	10,000	100	< 0.01	< 0.01	<0.011	<0.012	< 0.01	< 0.01
Trichloroethane, 1,1,2-	100	0.5	0.006 J	< 0.01	<0.011	<0.012	< 0.0t	< 0.01
Xylenes (total)	10,000	1,000	< 0.01	< 0.01	<0.011	<0.012	< 0.01	< 0.01
Senivolatile Organic Compounds								
Acenaphthene	170,000	4,300	<0.78	< 0.4	< 0.4	0.036 J	<0.39	<0.39
Acenaphthylene	170,000	4,400	<0.78	0.067]	0.48	1.2	0.021 J	0.036 J
Acetophenone	10,000	1,000	<0.78	<0.04	0.1 J	0.11 J	<0.39	<0.39
Anthracene	190,000	230	<0.78	< 0.4	0.09 J	1.4	<0.39	<0.39
Benzo(a)anthracene	110	320	Q.2 J	0.075 J	0.42	7 D	< 0.39	0.082 [
Benzo(a)pyrene	11	46	0.27 J	0.097 j	0.78	6.3 D	<0.39	Q.1 J
Benzo(b)fluoranthene	110	160	0.27 J	9.1 J	0.82	8.3 D	<0.39	0.085 J
Benzo(ghi)perylene	170,000	180	0.26 J	0.14 J	1.3	5.3 D	0.037 J	0.094 J
Benzo(k)fluoranthene	1,100	600	0.29 [0.099 J	0.6	4.9 D	<0.39	0.1 J
Bis(2-ethylhexyl)phthalate	5,700	130	0.054 J	< 0.4	0.02 J	0.045 J	<0.39	0.015 J
Butylbenzyl phthalate	10,000	10,000	0.055 J	0.02 J	0.03 J	0.048 J	<0.39	0.026 }
Carbazole	NR	NR	40.78	< 0.4	0.12)	0.38	<0.39	<0.39
Chloro-3-methy Iphenol, 4-	NR	NR	<0.78	< 0.4	0.12 j	< 0.4	<0.39	<0.39
Chrysene	11,000	220	0.3 J	0.064 J	0.52	6.5 D	<0.39	0.084 j
Cresol, o- (2-Methylphenol)	920	10	<0.78	< 0.4	0.021 J	0.025 J	<0.39	<0.39
Cresol, p - (4-Methylphenol)	920	10	<0.78	< 0.4	0.1 J	0.11 /	<0.39	<0.39
Dibenzo(a,h)anthracene	11	160	0.052]	0.027 J	0.24 J	1.7	<0.39	0.022 J
Fluoranthene	110,000	3,300	0.33 J	0.093 J	0.3 J	12 D	< 0.4	0.11 J
Auorene	110,000	380	< 0.8	< 0.4	< 0.4	0.37 J	< 0.4	< 0.4
ndeno(1,2,3-cd)pyrene	110	25,000	0.25 J	0.14 J	1.1	5.7 D	0.04 J	0.11 J
dethylnaphthalene, 2-	10,000	10,000	< 0.8	< 0.4	0.085 J	0.1 J	< 0.4	< 0.4
Vaphthalene	110,000	5	0.042 J	0.14 J	0.31 J	0.4 5	< 0.4	< 0.4
Nitrophenol, 2-	170,000	430	< 0.8	< 0.4	< 0.4	0.041 J	< 0.4	< 0.4
Phenanthrene	190,000	11,000	0.15 j	0.03 [0.099 J	11 D	< 0.4	0.026 J
Phenoi	190,000	400	< 0.8	< 0.4	0.1 J	0.096 J	< 0.4	0.12 J
Pyrene	84,000	220	0.33 /	0.09 J	0.46	12 D	< 0.4	< 0.4

Neist

All semples were collected at depths of 6-12 inches below grade:

All units presented in mg/kg (ppm).

All analytic results presented on a dry weight basis.

NA = Not applicable.

For Invegance

^{8 -} Reported value is less than CRDL but greater than IDL.

^{8 =} Reporte
For Organics

^{| =} Estimated value.

B = Analyte also detected in a hlank.

D = Result detected in a diluted sample.

5.0 ECOLOGICAL SCREENING ASSESSMENT

This Ecological Screening Assessment was completed in accordance with regulations (*PA Code*, Chapter 250, Section 311) promulgated under Act 2 by the Pennsylvania Department of Environmental Protection (PADEP). The Ecological Screening procedures allow the remediator to quickly evaluate whether surficial soils or sediments at a site have the potential to pose substantial ecological impacts requiring further evaluation.

The key elements of the Ecological Screening procedure include determining:

- 1) Whether regulated substances other than solely light petroleum product constituents (e.g., gasoline, jet fuel A, kerosene, #2 fuel oil/diesel fuel and benzene, toluene, ethylbenzene and xylenes) are present in the affected media;
- 2) Whether the site size is greater than two acres or the impacted area of impacted sediments is greater than 1,000 square feet;
- 3) Whether Constituents of Potential Ecological Concern are present on the site;
- 4) Whether species of concern or habitats of concern are present on the site; and
- 5) Whether completed exposure pathways, taking into account the current or planned future land use of the site, exist at the site.

If any of the five key elements are not applicable to the site, completion of the Site Ecological Screening assessment, including an on-site evaluation, is not required.

5.1 PRESENCE OF LIGHT PETROLEUM PRODUCTS

The first element of the ecological screening process is to determine if constituents in soils are solely directly related to light petroleum products. The primary constituents of concern on the Site are inorganics and PAHs. While the WAL was not a petroleum-based process, benzene can be present. Thus, the Site is not exempted from further evaluation based solely on this criterion.

5.2 SITE SIZE

The next step of the process is to determine if the Site has impacted soils greater than two acres and/or sediments (including wetland soil) of over 1,000 square feet. There are no sediments (impacted or otherwise) associated with the Site. The Site itself is less than one-half acre in size. Due to the small area of impacted soils, no further ecological evaluation is required under Act 2.

5.3 SUMMARY

Due to the small size of the Site (i.e., less than one-half acre), no substantial ecological impact exists at the Site and no further ecological evaluation is required under Act 2.

6.0 POST-REMEDIATION CARE PLAN

Pursuant to Section 204 of *Title 25 Pennsylvania Code*, Chapter 250, Keystone, Beazer and Vesper herein provide the Department with a Post-Remediation Care Plan for the Site. This *Final Report* demonstrates attainment of Statewide Non-Residential Health Standards for regulated substances in soils.

Keystone will provide an acknowledgement and restriction to the property deed that the remedial activities undertaken on the Site have been sufficient to demonstrate attainment of Statewide Non-Residential Health Standards for regulated substances in soils. As such, the deed acknowledgement will indicate that the Statewide Standards will remain protective of human health and the environment with the following institutional controls in place:

 The Site will continue to be used for non-residential purposes, provided that the deed acknowledgement may be removed upon a determination or demonstration that the residential or background Statewide Health Standard has been achieved. Keystone, Beazer and Vesper have identified the existence of a former underground waste ammonia liquor pipeline on the Site. This pipeline and associated soils have been excavated and removed for proper off-Site disposal. Post-excavation confirmatory sampling data meet PADEP's Statewide Health Standards for Nonresidential Soils.

Keystone, Beazer and Vesper request Cleanup Liability Protection, as is provided in Chapter 5, Section 501, of the Land Recycling and Environmental Remediation Standards Act, for all regulated substances analyzed for in soil on the Site, including the following regulated substances detected in soil for which attainment of the Statewide Health Standards for soils has been demonstrated using the Non-Residential Medium-Specific Concentrations:

<u>Inorganics</u>	Volatile Organics	<u>Semivolatil</u>	e Organics
Aluminum Antimony Arsenic Barium Beryllium Cadmium Chromium Chromium Cobalt Copper Cyanide Iron Lead Manganese Mercury Nickel Selenium Vanadium Zinc	Acetone Benzene 2-Butanone Carbon Disulfide Dichloromethane Ethylbenzene Toluene 1,1,2-Trichloroethane Xylenes (total)	Acenaphthene Acenaphthylene Acetophenone Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(ghi)perylene Benzo(k)fluoranthene Butylbenzylphthalate Carbazole 4-Chloro-3-methylphenol Chrysene o-Cresol (2-Methylphenol) p-Cresol (4-Methylphenol) Dibenzo(a,h)anthracene Di-n-butylphthalate Fluoranthene	Fluorene Indeno(1,2,3-cd)pyrene 2-Methylnaphthylene Naphthalene 2-Nitrophenol Phenanthrene Phenol Pyrene

ERM

Appendix A
Bills of Lading for Disposed
Materials



1469 Oak Ridge Place • Hagerstown, MD 21740-7485 • 301-791-6220 • Fax 301-790-1825

American Waste Management Services 1 American Way Warren, OH 44484

Clean Rock Industries, Inc. does hereby certify that 193.47 tons of petroleum contaminated soil, transported in 9 truck was received on December 28, 1999 under CRI APPROVAL NUMBER 99423AW for:

Generator:

Crater Resources PRP Group

Flint Hill Rd

Swedeland, PA 19103

Job Site:

Crater Resources PRP Group

Flint Hill Rd

Swedeland, PA 19103

Agent:

American Waste Management Services

1 American Way Warren, OH 44484

Subject recycling is performed in accordance with criteria as set forth by the State of Maryland under permit numbers: 98-OPS-3065, 21-6-0214M, and 21-00213. Processing was completed as of <u>January 18, 2000</u> at Clean Rock Industries, Inc., 1469 Oak Ridge Place, Hagerstown, Maryland. Payment has been made in full, constituting a complete release of financial and environmental liability of the generator.

Michael S. Flora

General Manager

Vincent P. Iuliano
Document Administrator

№ 31743



1469 Oak Ridge Place Hagerstown, MD 21740-7485 Ph. 301-791-6220

APPROVAL # 99423-AW	Load #/
SITE ENTRY TICKET	
CARRIER NAME & ADDRESS:	TRUCK#: 01 TAG#: AA 7367772
OTISVICE PA	TRAILER #: 303 TAG#:1775611 PA
PHONE: 6/0-847-6595	DRIVER'S NAME:
GENERATOR:	BROKER NAME & ADDRESS
Crater Resources PRP Group	American Waste Management Services, Inc.
Flint Hill Road Swedeland, PA 19103	One American May Warren, Olf 44484
PHONE: 609-695-0050	PHONE: 330-356-8800
I HEREBY CERTIFY THAT THE BELOW NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	BROKER REPRESENTATIVE: PRINT NAME: Raimund A. Gundermann
SIGNATURE HELLER SIGNATURE	SIGNATURE HOLD
DESCRIPTION OF COMMODITIES: Non-hazardous Contaminated Soil	HAZARD CLASS: Non-hazardous
RCRA NONHAZARDOUS / DOT NONREGULATED	VEHICLE TYPE: Dump Truck
SEPARATED AT POINT OF ORIGIN DESTINED FOR RECYCLING / REUSE	VOLUME/UNITS: Est. 22 tons
BILL OF LADING	
LOAD DATE AND TIME-	RECEIVING DATE AND TIME:
DELIVER TO:	WEIGHTS:
CLEAN ROCK INDUSTRIES 1469 OAK RIDGE PLACE HAGERSTOWN MD 21740	GROSS:
	TARE:
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND	NET:
TRUCK IDENTIFIED ABOVE.	TONS:

SIGNATURE



1469 Oak Ridge Place Hagerstown, MD 21740-7485 Ph. 301-791-6220

APPROVAL # _ 99 923-AL	Load #
SITE ENTRY TICKET	
CARRIER NAME & ADDRESS:	TRUCK # 7 1 1 TAG #: 17 1 TAG
(B+F L/ANDING)	TRAILER #: TAG #: _
0775 VILLE PA PHONE: 610-847-8565	DRIVER'S NAME:
GENERATOR: Crater Resources PRP Group Flint Hill Road Swedeland, PA 19103 PHONE: 609-895-0050	BROKER NAME & ADDRESS: American Waste Management Services, Inc. Une American Way Warren, UH 44484 PHONE: 330-856-8800
I HEREBY CERTIFY THAT THE BELOW NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE. SIGNATURE	BROKER REPRESENTATIVE: PRINT NAME: Raimund A. Gundermann SIGNATURE
DESCRIPTION OF COMMODITIES: Non-hazardous Contaminated Soil	HAZARD CLASS: Non-nazardous VEHICLE TYPE: Dump Truck
RCRA NONHAZARDOUS / DOT NONREGULATED SEPARATED AT POINT OF ORIGIN DESTINED FOR RECYCLING / REUSE	VOLUME/UNITS: Est. 22 tons
BILL OF LADING	
LOAD DATE AND TIME:	RECEIVING DATE AND TIME:
DELIVER TO:	WEIGHTS:
CLEAN ROCK INDUSTRIES 1469 OAK RIDGE PLACE	GROSS:
HAGERSTOWN, MD 21740	TARE:
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	NET:
	TONS:
SIGNATURE	



APPROVAL # 99425-17W	Load #3
SITE ENTRY TICKET	
CARRIER NAME & ADDRESS:	TRUCK#: K / TAG#: 1 TAG#:
HAGENSTOWN, MD	TRAILER #: TAG #:
PHONE: 301-797-0/68	DRIVER'S NAME:
GENERATOR: Crater Resources PRP Group Flint Hill Road Swedeland, PA 19103 PHONE: 609-895-0050	BROKER NAME & ADDRESS: American Waste Management Services, Inc. One American Way Warren, OH 44484 PHONE: 330-856-8800
I HEREBY CERTIFY THAT THE BELOW NAMED	BROKER REPRESENTATIVE:
COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	PRINT NAME: Raimund A. Gundermann
SIGNATURE LANGE	SIGNATURE SULF
DESCRIPTION OF COMMODITIES: Non-hazardous Contaminated Soil	HAZARD CLASS: Non-hazardous
RCRA NONHAZARDOUS / DOT NONREGULATED	VEHICLE TYPE: Dump Truck
SEPARATED AT POINT OF ORIGIN DESTINED FOR RECYCLING / REUSE	VOLUME/UNITS: Est. 22 tons
BILL OF LADING	
LOAD DATE AND TIME:	RECEIVING DATE AND TIME:
12/28/55 \$ 30A	
DELIVER TO: CLEAN ROCK INDUSTRIES 1469 OAK RIDGE PLACE	WEIGHTS:
	GROSS:
HAGERSTOWN, MD 21740	TARE:
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	NET:
	TONS:
SIGNATURE	



APPROVAL # 99423-AW	Load #
SITE ENTRY TICKET	
CARRIER NAME & ADDRESS:	TRUCK #: 7 TAG #:
J. KOULAND IRVEKING WICCIAMSPORT, MD	TRAILER #: TAG #:
	DRIVER'S NAME:
PHONE: 301- 223-9324	Donath & Markey Chin
GENERATOR: Crater Resources PRP Group Flint Hill Road Swedeland, PA 19103	BROKER NAME & ADDRESS: American Waste Management Services, Inc. One American Way Warren, OH 44484
PHONE: 609-895-0050	PHONE: 330-856-8800
I HEREBY CERTIFY THAT THE BELOW NAMED COMMODITY WAS LOADED ON THE CARRIER AND	BROKER REPRESENTATIVE:
TRUCK IDENTIFIED ABOVE.	PRINT NAME: Raimund A. Gundermann
SIGNATURE De Mary	SIGNATURE
DESCRIPTION OF COLOR PROPERTY.	jana arangan kanan
DESCRIPTION OF COMMODITIES: Non-hazardous Contaminated Soil	HAZARD CLASS: Non-hazardous
RCRA NONHAZARDOUS / DOT NONREGULATED	VEHICLE TYPE: Dump Truck
SEPARATED AT POINT OF ORIGIN DESTINED FOR RECYCLING / REUSE	VOLUME / UNITS: Est. 22 taris
BILL OF LADING	T
LOAD DATE AND TIME: 8:45+	RECEIVING DATE AND TIME:
DELIVER TO: CLEAN ROCK INDUSTRIES 1469 OAK RIDGE PLACE	WEIGHTS:
	GROSS:
HAGERSTOWN, MD 21740	TARE:
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND	NET:
TRUCK IDENTIFIED ABOVE.	TONS:
SIGNATURE	



APPROVAL# 99423-4W	Load #
SITE ENTRY TICKET	
CARRIER NAME & ADDRESS:	TRUCK#: K.G TAG#:
LIAGERSTOWN MO	TRAILER #: TAG #:
PHONE: 301-757-0168	DRIVER'S NAME:
GENERATOR: Crater Resources PRP Group Flint Hill Road Swedeland, PA 19103 PHONE: 609-895-0050	BROKER NAME & ADDRESS: American Waste Hanagement Services, Inc. One American Way Warren, OH: 44484 PHONE: 330-856-8200
I HEREBY CERTIFY THAT THE BELOW NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE. SIGNATURE	BROKER REPRESENTATIVE: PRINT NAME: Raimund A. Gundermann SIGNATURE
DESCRIPTION OF COMMODITIES: Non-hazardous Contaminated Soil	HAZARD CLASS: Non-hazardous
RCRA NONHAZARDOUS / DOT NONREGULATED SEPARATED AT POINT OF ORIGIN DESTINED FOR RECYCLING / REUSE	VEHICLE TYPE: Dump Truck VOLUME / UNITS: Est. 22 tons
BILL OF LADING	
LOAD DATE AND TIME	RECEIVING DATE AND TIME:
DELIVER TO: CLEAN ROCK INDUSTRIES 1469 OAK RIDGE PLACE	WEIGHTS:
	GROSS:
HAGERSTOWN, MD 21740	TARE:
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	NET:
	TONS:
SIGNATURE	



APPROVAL # 95423-AW	Load #
SITE ENTRY TICKET	
CARRIER NAME & ADDRESS:	TRUCK #: TAG #:
ROULIAND LEUCKING WILLIAMSBUT MD	TRAILER #: TAG #:
PHONE 301- 223-9324	DRIVER'S NAME:
GENERATOR: Crater Resources PRP Group Flint Hill Road Swedeland, PA 19103 PHONE: 609-895-0050	BROKER NAME & ADDRESS: American Waste Nanagement Services, Inc. One American Way Warren, CH 44484 PHONE: 330-856-8800
I HEREBY CERTIFY THAT THE BELOW NAMED	BROKER REPRESENTATIVE:
COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	PRINT NAME: Rajmund Af Gundermann
SIGNATURE SECONDARY	SIGNATURE C
	V -
DESCRIPTION OF COMMODITIES: Non-hazardous Contaminated Soil	HAZARD CLASS: Non-hazardous
RCRA NONHAZARDOUS / DOT NONREGULATED	VEHICLE TYPE: Dump Truck
SEPARATED AT POINT OF ORIGIN DESTINED FOR RECYCLING / REUSE	VOLUME / UNITS: Est. 22 tons
BILL OF LADING	
LOAD DATE AND TIME: 12/28/55 7.15 A	RECEIVING DATE AND TIME:
DELIVER TO: CLEAN ROCK INDUSTRIES 1469 OAK RIDGE PLACE HAGERSTOWN, MD 21740	WEIGHTS:
	GROSS:
	TARE:
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	NET:
TROCK DETTILED ABOVE.	TONS:
SIGNATURE	



APPROVAL # 99423. AW	Load #
SITE ENTRY TICKET	
CARRIER NAME & ADDRESS:	TRUCK#: TAG#:
HOBBS RUCKING	TRAILER#: TAG#:
PHONE: 334-6586	DRIVER'S NAME:
GENERATOR: Crater Resources PRP Group Flint Hill Road Swedeland, PA 19103 PHONE: 609-895-0050	BRÖKER NAME & ADDRESS: American Waste Management Services, Inc. One American Way Warren, UH 44484 PHONE: 330-856-8800
I HEREBY CERTIFY THAT THE BELOW NAMED	BROKER REPRESENTATIVE:
COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	PRINT NAME: Raimund A. Gundermann
SIGNATURE / / / / / / / / / / / / / / / / / / /	SIGNATURE VICTOR
DESCRIPTION OF COMMODITIES:	HAZARD CLASS: Non-hazardous
Non-bazardous Contaminated Soil	VEHICLE TYPE: Dump Truck
RCRA NONHAZARDOUS / DOT NONREGULATED SEPARATED AT POINT OF ORIGIN DESTINED FOR RECYCLING / REUSE	VOLUME / UNITS: Est. 22 tons
BILL OF LADING	PROTEINIC DATE AND THE
19 18/99 7.30A	RECEIVING DATE AND TIME:
DELIVER TO: CLEAN ROCK INDUSTRIES	WEIGHTS:
1469 OAK RIDGE PLACE HAGERSTOWN, MD 21740	GROSS:
	TARE:
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	NET:
	TONS:
SIGNATURE	



1469 Oak Ridge Place Hagerstown, MD 21740-7485 Ph. 301-791-6220

APPROVAL#	Load #
SITE ENTRY TICKET	
CARRIER NAME & ADDRESS:	TRUCK#: TAG#: 7
HOBBS TRUCKILLS FAIRFIELD RA	TRAILER #: TAG #:
PHONE: 717-334-6586	DRIVER'S NAME:
GENERATOR:	BROKER NAME & ADDRESS:
Crater Resources PRP Group Flint Hill Road Swedeland, PA 19103	American Waste Management Services, Inc. One American Way Warren, CH 44484
PHONE: 609-895-0050	PHONE: 330-356-8800
I HEREBY CERTIFY THAT THE BELOW NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	BROKER REPRESENTATIVE: PRINT NAME: Raigung A Gundermann
SIGNATURE SIGNATURE	SIGNATURE DA
DESCRIPTION OF COMMODITIES: Non-hazardous Contaminated Soil	HAZARD CLASS: Non-hezardous
RCRA NONHAZARDOUS / DOT NONREGULATED	VEHICLE TYPE: Dump Truck
SEPARATED AT POINT OF ORIGIN DESTINED FOR RECYCLING / REUSE	VOLUME/UNITS: Est. 22 tons
BILL OF LADING	
LOAD DATE AND TIME. 12/28/99 - 9:40 A	RECEIVING DATE AND TIME:
DELIVER TO: CLEAN ROCK INDUSTRIES 1469 OAK RIDGE PLACE HAGERSTOWN, MD 21740	WEIGHTS:
	GROSS:
	TARE:
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK DENTIFIED ABOVE	NET:
TRUCK IDENTIFIED ABOVE.	TONS:

SIGNATURE



APPROVAL # -99	423.AW	Load #9	
SITE ENTRY TICKET			
CARRIER NAME & ADDE		TRUCK #:	TAG#: ,
HOBBS IRV		TRAILER #:	TAG#:
		DRIVER'S NAME:	,
PHONE 717-3	フオ・レングレー・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	<u> </u>	
GENERATOR: Crater Resource Flint Hill Road Swedeland, PA PHONE: 609-4	19103	BROKER NAME & ADDRESS American Waste Mar One American Way Warren, OH 4444 PHONE: 330-856-	nagement Services, Inc
I HEREBY CERTIFY THA	20 2 2 3 4 4 5 5 5 6 5 6 5 6 5 6 5 6 6 6 6 6 6 6	BROKER REPRESENTATIVE:	
■ The state of th	DED ON THE CARRIER AND		A. Gundermann
SIGNATURE A	Allez.	SIGNATURE	
//			
DESCRIPTION OF COMM		HAZARD CLASS: Non-in	zardous
RCRA NONHAZARDOUS	/ DOT NONREGUEATED	VEHICLE TYPE: 0ump 1	ruck
SEPARATED AT POINT OF DESTINED FOR RECYCL		VOLUME / UNITS: Est	. 22 tons
BILL OF LADING			
	10:00A	RECEIVING DATE AND TIME	:
DELIVER TO		WEIGHTS:	
CLEAN ROCK IN 1469 OAK RIDGE	PLACE	GROSS:	
HAGERSTOWN, M	MD 21740	TARE:	· · · · · · · · · · · · · · · · · · ·
I HEREBY CERTIFY THAT COMMODITY WAS LOAD TRUCK IDENTIFIED ABO	DED ON THE CARRIER AND	NET:	
	7 7 440	TONS:	
SIGNATURE			



APPROVAL# 75/12/19	Load #	
SITE ENTRY TICKET		
CARRIER NAME & ADDRESS:	TRUCK #: TAG #:	
HOBBS TRUCTURE FAIRFILD PA	TRAILER #: TAG #:	
PHONE:	DRIVER'S NAME:	
GENERATOR: Crater Resources PRP Group Flint Hill Road Swedeland, PA 19103 PHONE: 609-895-0050	BROKER NAME & ADDRESS: American Waste Hanagement Services, Inc. One American Way Warren, OH 44484 PHONE: 330-856-8800	
I HEREBY CERTIFY THAT THE BELOW NAMED COMMODITY WAS LOADED ON THE CARRIER AND	BROKER REPRESENTATIVE:	
TRUCK IDENTIFIED ABOVE.	PRINT NAME: Ratinund A. Gundermann	
SIGNATURE Le 1 1 1 2	SIGNATURE HALL	
DESCRIPTION OF COMMODITIES: Non-hazardous Contaminated Soil RCRA NONHAZARDOUS / DOT NONREGULATED SEPARATED AT POINT OF ORIGIN DESTINED FOR RECYCLING / REUSE	HAZARD CLASS: Non-hazardous VEHICLE TYPE: Dump Truck VOLUME / UNITS: Es: Dump Truck	
BILL OF LADING		
LOAD DATE AND TIME:	RECEIVING DATE AND TIME:	
DELIVER TO:	WEIGHTS:	
1469 OAK RIDGE PLACE	GROSS:	
HAGERSTOWN, MD 21740	TARE:	
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	NET:	
	TONS:	
SIGNATURE		



APPROVAL# 99423 AW	Load # 10
SITE ENTRY TICKET	
CARRIER NAME & ADDRESS:	TRUCK#: TAG#:
HOBBS TRUCKING	TRAILER #: TAG #:
PHONE:	DRIVER'S NAME:
GENERATOR: Crater Resources PRP Group Flint Hill Road Swedeland, PA 19103 PHONE: 609-895-0050	BROKER NAME & ADDRESS: American Naste Management Services, Inc. One American Nay: Narren, OH, 44484 PHONE: 330-856-8800
I HEREBY CERTIFY THAT THE BELOW NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE. SIGNATURE	BROKER REPRESENTATIVE: PRINT NAME: Raimund A. Gundermann SIGNATURE
DESCRIPTION OF COMMODITIES: Non-hazardous Contaminated Soil	HAZARD CLASS: Non-hazardous
RCRA NONHAZARDOUS / DOT NONREGULATED SEPARATED AT POINT OF ORIGIN DESTINED FOR RECYCLING / REUSE	VEHICLE TYPE: Dump Truck VOLUME / UNITS: SSTREET 6891S
· 大學學院學教育學學院養養養養養養 · · · · · · · · · · · · · · · ·	
BILL OF LADING	
LOAD DATE AND TIME	RECEIVING DATE AND TIME:
DELIVER TO:	WEIGHTS:
1469 OAK RIDGE PLACE	GROSS:
HAGERSTOWN, MD 21740	TARE:
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED A BOVE	NET:
TRUCK IDENTIFIED ABOVE.	TONS:

SIGNATURE



APPROVAL #	Load #
SITE ENTRY TICKET	
CARRIER NAME & ADDRESS:	TRUCK #: 1568 TAG #: HH (3229
CARFIELD PA	TRAILER #: //H TAG #: TN 83 1663
PHONE:	DRIVER'S NAME:
GENERATOR: Crater Resources PRP Group Flint Hill Road Swedeland, PA 19103	BROKER NAME & ADDRESS American Waste Hanagement Services, Inc. One American Way Warren, OH 44484
PHONE: 609-895-0050	PHONE: 330-856-8800
I HEREBY CERTIFY THAT THE BELOW NAMED COMMODITY WAS LOADED ON THE CARRIER AND	BROKER REPRESENTATIVE
TRUCK IDENTIFIED ABOVE.	PRINT NAME: Raimund A. Gundermann
SIGNATURE LA COMPANY	SIGNATURE
DESCRIPTION OF COMMODITIES: Non-hazardous Contaminated Soil	HAZARD CLASS: Hon-hazardous
RCRA NONHAZARDOUS / DOT NONREGULATED	VEHICLE TYPE: Dump Truck
SEPARATED AT POINT OF ORIGIN DESTINED FOR RECYCLING / REUSE	VOLUME / UNITS: 22 22 2005
BILL OF LADING	
LOAD DATE AND TIME.	RECEIVING DATE AND TIME:
DELIVER TO:	WEIGHTS:
CLEAN ROCK INDUSTRIES 1469 OAK RIDGE PLACE HAGERSTOWN, MD 21740	GROSS:
	TARE:
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	NET:
	TONS:

SIGNATURE

Clean Rock

APPROVAL # 99423. AZV	Load # /2
SITE ENTRY TICKET	
CARRIER NAME & ADDRESS:	TRUCK #: 3 45 TAG#: 0393131
HOSES TRUCIUS :	TRAILER #: TAG #:
PHONE	DRIVER'S NAME:
GENERATOR:	BROKER NAME & ADDRESS:
Crater Resources PRP Group Flint Hill Road Swedeland, PA 19103	American Waste Management Services, Inc One American Way Warren, OH 44484
PHONE: 609-895-0050	PHONE: 330-856-8800
I HEREBY CERTIFY THAT THE BELOW NAMED COMMODITY WAS LOADED ON THE CARRIER AND	BROKER REPRESENTATIVE:
TRUCK IDENTIFIED ABOVE.	PRINT NAME: Raimund K. Gundermann
SIGNATURE / COMPANY	SIGNATURE
DESCRIPTION OF COMMODITIES SOLE	HAZARD CLASS: Non-nazardous
RCRA NONHAZARDOUS / DOT NONREGULATED	VEHICLE TYPE: Dutip Truck
SEPARATED AT POINT OF ORIGIN DESTINED FOR RECYCLING/REUSE	VOLUME / UNITS: Estates
BILL OF LADING	
LOAD DATE AND TIME	RECEIVING DATE AND TIME:
DELIVER TO Section 1.	WEIGHTS:
CLEAN ROCK INDUSTRIES 1469 OAK RIDGE PLACE	GROSS:
HAGERSTOWN, MD 21740	TARE:
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	NET:
TRUCK IDENTIFIED ABOVE.	TONS:
SIGNATURE	



APPROVAL # 55423 AU	Load #
SITE ENTRY TICKET	
CARRIER NAME & ADDRESS:	TRUCK#: TAG#: 17-7 4-7
HOBBS RUCKIUC FAIRFICID PA	TRAILER #: TAG #:
PHONE:	DRIVER'S NAME:
Crater Resources PRP Group Flint Hill Road Swedeland, PA 19103	BROKER NAME & ADDRESS: American Waste Management Services, Inc. One American Way Warren, OH 44484 PHONE: 330-856-8300
PHONE: 609-895-0050 I HEREBY CERTIFY THAT THE BELOW NAMED	PHONE: 330-856-8300 BROKER REPRESENTATIVE:
COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	PRINT NAME: Raissund A. Gundermann
SIGNATURE LICE ASSESSMENT	SIGNATURE 2 0
	
DESCRIPTION OF COMMODITIES: Non-hazardous Contaminated Soil	HAZARD CLASS: Non-nazardous
RCRA NONHAZARDOUS / DOT NONREGULATED	VEHICLE TYPE: Duap Truck
SEPARATED AT POINT OF ORIGIN. DESTINED FOR RECYCLING / REUSE	VOLUME / UNITS: Established
BILL OF LADING	
LOAD DATE AND TIME 1	RECEIVING DATE AND TIME:
DELIVER TO	WEIGHTS:
CLEAN ROCK INDUSTRIES 1469 OAK RIDGE PLACE HAGERSTOWN MD 21740	GROSS:
A STATE OF THE STA	TARE:
I HEREBY CERTIFY THAT THE ABOVE NAMED COMMODITY WAS LOADED ON THE CARRIER AND TRUCK IDENTIFIED ABOVE.	NET:
INCOMENTIFIED ABOVE.	TONS:
SIGNATURE	··· 1

Appendix B Field Representative Daily Reports

KEYSTONE COKE COMPANY SUSPECTED FORMER PIPELINE EXCAVATION, UPPER MERION Field Representative Daily Report

Date:	21 December 1999	W.O.#: H4904.00.01	Representative:	Christophe Colle
Client: Ballard	. Spahr. Andrews & Ingers	soll		
Project: Pipeli	ne Excavation			
Time Record		Key Per	sons and Visitors On-Site	
Time activities s	tarted: 0730	Individual	Firm	Hours on Site
Time activities fi	nished: 1700	Christophe P Collet	ERM, Inc	9.5
		Kevin Halloran	EME, Inc	8.5
Project Time		Ken Kelly	EnviroClean	8.5
Report Number:		Rob Heck	EnviroClean	8.5
		·		
Weather				
Temperature (°F): 40 -45			
Humidity: NA				
Precipitation: no	ne			
Clear/Overcast:	Overcast		_	
Windchill NA				
Equipment E.	xcavator and Loader for			
Pipeline excavat	tion: Hand tools used for			
soil sample colle	ection.			
Progress Per	formance: Excavation s	tarted at the 750-foot marker an	d progressed north towar	rds River Road, At
	13:15 equipment was mol	pilized and pipeline excavation cor	ntinued at 900-foot marker	toward the south to
		e is 4-inch steel pipe and appeared till. Pipe and soil adiacent and be		
		d, no odor or staining was observe		
		as, excavation was advanced to r		
odor. In areas		e located and no staining or odor		
backfill.				
Area of pipeline	excavation is illustrated of	on the attached Figure 1. Areas w	here the pipe and soil were	excavated included
		to 900, 750 to 600, 525 to 500, 3 an area where the hillside include		
		was discovered among other debi		
		pipe was stockpiled. Excavation		
		ould be noted that two pipes were		
		n a section of the former above qu		
	River Road. No excavtion	was possible to the north of the t	0-foot marker due to the the	ne proximity to River
Road.				
		mately 14:35. Samples were colleged to be inches from		
		the interval of 0- to 6-inches from 450, 525, 600, 750, and 900.		
		te, labelled XX-Dup was collected a		Pino dobilogie weig
		es at Fed-Ex at approximately 17:0		

KEYSTONE COKE COMPANY SUSPECTED FORMER PIPELINE EXCAVATION, UPPER MERION Field Representative Daily Report

Date:	22 December 1999	W.O.#: H4904,00.01	Representative:	Ron Lobb
Client: Balla	ard, Spahr, Andrews & Ingers	ioli		······································
Project: Pic	peline Excavation			
Time Reco	rel '	Key Pe	rsons and Visitors On-Site	
	es started: 0730	Individual	Firm	Hours on Site
	s finished: 1545	Ron Lobb	ERM, Inc	8.25
		Kevin Halloran	EME, Inc	8.25
Project Tim		Ken Kelly	EnviroClean	8.25
Report Numb		Rob Heck	EnviroClean	8.25
		Stue Bills	EnviroClean	
Weather				·
Temperature	(°F):			
Humidity:				
Precipitation:				
Clear/Overca	st:			
Windchill				
Equipment	Excavator and Loader for			
Pipeline exca	vation:			
·				
			,	
	······································			
Flint Hill Ro excavation v Flint Hill ros approximate Excavation	ad to the 1,020-foot marker, work is continued northward ad to clear trees and brush elv 25-minutes in order to followed the same procedure	arts at approximately 08:00 at the At approximately 08:30 excavation toward the 1.020-foot marker. At in order to excavate further south free the loader which had become as on 21 December, 1999, on the attached Figure 1. Areas were seen as the second of the attached Figure 1.	on equipment is mobilized to approximately 14:30, excann, it should be noted that we stuck in the mud at a	o marker 1.875 and vator is mobilized to work was halted for oppoximately 09:20.
areas from	distance markers 980 to 1.3	350, and from 1650 to 1875. It was amples were collected on this day.	ras noted that the pipe exc	avated at the 1.350
	·			
		- · · · · · · · · · · · · · · · · · · ·		
			, , <u>, , , , , , , , , , , , , , , , , </u>	***
				<u> </u>
			· · · · · · · · · · · · · · · · · · ·	

KEYSTONE COKE COMPANY SUSPECTED FORMER PIPELINE EXCAVATION, UPPER MERION Field Representative Daily Report

Date:	23 December 1999	W.O.#: H4904.00.01	Representative:	Christophe Collet
Client: Ball	ard, Spahr, Andrews & Ingersol	<u> </u>		
Project: P	peline Excavation			
Time Reco			rsons and Visitors On-Site	
	es started: 0800	Individual	Firm	Hours on Site
Time activiti	es finished: 1200	Christophe Collet	ERM, Inc	4
	 	Kevin Halloran	EME, Inc	4
Project Ti		Ken Kelly	EnviroClean	4
Report Num	ber:	Rob Heck	EnviroClean	4
			<u> </u>	<u>-</u>
Weather				
Temperature	e (°F): 30 - 40			
Humidity:				
Precipitation	: None			
Clear/Overo	ast: Overcast			
Windchill				
Equipmen	t Excavator and Loader for			
Pipeline exc	avation: Hand tools used for			
soil samplin	g.			
towards Fli on 21 Dece was releas Pipe removand the dif proximity o Sampling e stainless s from distar	Performance: Excavation stant Hill Road to the 2,050-foot member, 1999, 4 inch steel pipe and from the pipe during excavatived at the 2,050 marker was obstituted in extracting the pipe it if the road, further excavation was equipment was deconned at appear to spoons. Sampling proceduce markers 1,050, 1,200, 1,350 mples at Federal Express.	arker. The same excavation and was removed for the entire section at the 1,875 marker. Black served to have a threaded flangs believed that the pipeline coras prohibited. proximately 08:00. Soil samplares followed those used on 21	d soil removal procedure with the second soil was excave and soil was excave at the end. Due to the orntinues under Flint Hill Roads were collected starting and December, 1999. Soil san	as followed today as punt of black residue rated and stockpiled, esence of the flanged. However, due to at 09:00 using clean notes were collected
				
		· · · · · · · · · · · · · · · · · · ·		
				
				

KEYSTONE COKE COMPANY SUSPECTED FORMER PIPELINE EXCAVATION, UPPER MERION Field Representative Daily Report 27 December 1999 W.O.#: H4904.00.01 Date: Representative: Christophe Collet Client: Ballard, Spahr, Andrews & Ingersoll Project: Pipeline Excavation Time Record Key Persons and Visitors On-Site Time activities started: 1300 Individual Firm **Hours on Site** Time activities finished: 1600 Christophe Collet ERM. Inc. 3 **Project Time** Report Number: Weather Temperature (°F): 30 - 40 **Humidity:** Precipitation: None Clear/Overcast: Overcast Windchill Equipment: Hand tools used for soil sampling. Progress Performance: Chris Collet leaves office to pick up bottle order at Fed-Ex at approximately 11:45. Arrive onsite and decon equipment at approximately 13:00. Field activities for the day consisted of collection of surface soil samples from the pipeline excavation. Soil samples collected from a depth of 6-inches to 1-foot below ground surface. Samples were collected using clean stainless steel hand tools. Soil samples were collected from the 300, 600, 900, 1,200, 1,500, and 1,800 foot distance markers. Chris Collet leaves site to drop off sample shipment at Federal Express at approximately 16:00.

Appendix C
Analytical Data Package:
Confirmatory Sampling –
Organics
(Not Included with This Copy of the Report)

Appendix D
Analytical Data Package:
Confirmatory Sampling –
Inorganics
(Not Included with This Copy of the Report)

Appendix E
Analytical Data Package:
Surface Soil Sampling –
Organics
(Not Included with This Copy of the Report)

Appendix F
Analytical Data Package:
Surface Soil Sampling -Inorganics
(Not Included with This Copy of the Report)



Pennsylvania Department of Environmental Protection

Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 July 17, 2000

Southeast Regional Office

610-832-5949 Fax 610-832-6143

Samantha R. Corson, Esquire Ballard Spahr Andrews & Ingersoll, LLP 1735 Market Street, 51st Floor Philadelphia PA 19103-7599

Re: Act 2 - Approval of Report
ID No. 1-46-955-28077
Keystone Coke Company
Suspected Former Pipeline Corridor
River Road and Flint Hill Road
Swedeland, Upper Merion Township
Montgomery County

Dear Ms. Corson:

Please be advised that the Final Report titled "Act 2 Statewide Health Standard, Final Report, Keystone Coke Company Suspected Former Pipeline Corridor, Upper Merion Township, Montgomery County, Pennsylvania" pertaining to the subject site has been approved by the Department of Environmental Protection, in accordance with the provisions of the Land Recycling and Environmental Remediation Standards Act (Act 2). The liability protections for attainment of the selected cleanup standard are set forth in Chapter 5 of Act 2.

The Final Report contains a demonstration of attainment of an Act 2 standard for soil. The facility has attained a Used Aquifer, Non-Residential Statewide Health standard for the following compounds in soil at the excavation area between Flint Hill Road and River Road, west of B Street:

aluminum, antimony, arsenic, beryllium, cadmium, chromium, cobalt, copper, cyanide, iron, lead, manganese, mercury, nickel, selenium, vanadium, zinc; acetone, benzene, 2-butanone, carbon disulfide, dichloromethane, ethyl benzene, toluene, 1,1,2-trichloroethane, total xylenes; acenaphthene, acenaphthene, acetophenone, anthracene, benzo(a) anthracene, benzo(a)pyrene benzo(b)fluoranthene, benzo(ghi)perylene, benzo(k)fluoranthene, butylbenzylphthalate, carbazole, 4-chloro-3-methylphenol, chrysene, o-cresol (2-methylphenol), p-cresol (4-methylphenol), dibenzo(a,h)anthracene, di-n-butylphthalate, fluoranthene, fluorine, indeno(1,2,3-cd)pyrene, 2-methylnaphthalene, naphthalene, phenol, pyrene.

Deutho

Thank you for your cooperation in working with the Department in the remediation of this site. If you need any additional information regarding this matter, please contact us.

Sincerely,

Bruce D. Beitler Regional Manager

Environmental Cleanup

CC:

Ms. Pantelidou

Ms. Tremont

Mr. Day-Lewis

Ms.Fries

Mr. Hess

Montgomery County Health Department

Upper Merion Township

Regional File

(SLP)

Environmental Resources Management

Princeton Crossroads 250 Phillips Blvd. Suite 280 Ewing, NJ 08618 (609) 895-0050 (609) 895-0111 (fax) http://www.erm.com



27 April 2000

Reference: H4904.00.01

Ms. Andrea Lord U.S. Environmental Protection Agency Region III, 3HS21 1650 Arch Street Philadelphia, Pennsylvania 19103

PADEP Act 2 Statewide Standard Final Report Re:

> Keystone Coke Company Suspected Former Pipeline Corridor Upper Merion Township, Montgomery County, Pennsylvania

Dear Ms. Lord:

Enclosed you will find one copy of a report entitled Act 2 Statewide Standard Final Report, Keystone Coke Company Suspected Former Pipeline Corridor, Upper Merion Township, Montgomery County, Pennsylvania that is being submitted on behalf of the Drummond Company, Vesper Corporation and Beazer East Inc. to the Pennsylvania Department of Environmental Protection's Environmental Cleanup Program under Act 2.

If you have any questions or comments pertaining to this document, please direct them to Robert McKinstry, Jr. (215-864-8208) or Samantha Corson (215-864-8127) at Ballard Spahr Andrews & Ingersoll.

Sincerely,

Randy E. Shuler, Ph.D., D.A.B.T.

Project Manager/Senior Scientist II

RLS/ms

cc:

1

enclosure:

R. McKinstry (Ballard Spahr Andrews & Ingersoll)

C. Jones (Drummond Company)

J. Curci (Vesper Corporation)

B. Giarla (Beazer East Inc.)

J. Cook (Beazer East Inc.)

D. Schleicher (Klehr Harrison Harvey Branzburg & Ellers)

G. Gonsoulin (Environmental Management Engineering)



SUMMARY OF FLINT HILL ROAD SOIL REMEDIATION ACTIVITIES

1.0 BACKGROUND

A section of underground pipe was discovered near the intersection of Flint Hill Road and Viking Road in Upper Merion Township, Pennsylvania, approximately one mile from the Crater Resources Site. The pipe was discovered on 14 May 1997 by a road construction company working for Upper Merion Township (UMT). The construction company was excavating soil from beneath Flint Hill Road to install a concrete stormwater culvert beneath the roadway. The unearthed pipe was observed by representatives of the USEPA who were in the vicinity at that time.

Upon discovery of the pipe, ERM was contacted by the USEPA, as this section of pipe was thought to represent a portion of the former WAL pipeline that formerly extended to the Crater Resources site. ERM collected several soil samples adjacent to, beneath, and from inside the pipe. These samples were analyzed for Target Compound List (TCL) Volatile Organic Compounds (VOCs), TCL Semivolatile Organic Compounds (SVOCs), cyanide and Total Petroleum Hydrocarbons (TPH). The results of these samples are summarized in Table A-1.

The soil samples contained elevated concentrations of polynuclear aromatic hydrocarbons (PAHs) and phenols. Metals and TPH concentrations did not appear to be significantly elevated. In addition, only very low concentrations of VOCs were detected within the pipe itself (sample 5/15-4), but not in the surrounding soil.

Because of the elevated concentrations of PAH and phenols in the soil surrounding the pipe, and because the pipe presented an obstruction to the construction company at the site, the USEPA requested that the pipe be removed along with any visually-impacted soil. The Crater Resources PRP Group voluntarily agreed to address the pipe and soil remediation. ERM prepared a Work Plan, dated 21 May 1997, that outlined the scope of work for the pipe and soil removal and the collection of post-excavation samples. This Work Plan was conditionally approved by the USEPA on 23 May 1997. A copy of the work plan and approval letter are provided in Attachment A-1. Excavation of the pipe and associated soils began on 23 May 1997, and was conducted over three mobilizations from May to July 1997. The excavation and sampling methods used during the remediation are described in the following sections.

- Target Compound List Volatile Organic Compounds (TCL VOCs),
- TCL Semivolatile Organic Compounds (TCL SVOCs),
- Target Analyte List (TAL) metals, and
- cyanide.

Following receipt of the analytical results, they were evaluated by ERM and the USEPA to determine whether additional soil needed to be excavated.

2.3 WASTE DOCUMENTATION

All documentation and related transportation paperwork was generated for each dumpster prior to shipment. All major aspects of the soil excavation activities were observed and documented by an ERM representative. Documentation of soil excavation activities was maintained in the following forms:

- field notebook.
- photographs, and
- · waste manifests.

Copies of the waste manifests are provided in Attachment A-2.

2.4 SOIL DISPOSAL

Following soil characterization, the excavated soil was characterized for disposal purposes, then transported to Clean Earth of New Castle, Inc. in New Castle, Delaware for treatment. Copies of the Certificates of Destruction from Clean Earth are provided in Attachment A-2.

2.5 HEALTH AND SAFETY MONITORING

During soil excavation and loading, health and safety monitoring was performed by ERM using a flame ionization detector (FID). All activities were performed in accordance with the Crater Resources Health and Safety Plan.

However, metals did not appear to be elevated. The parameter concentrations in these samples were below the 21 April 1997 Act 2 soil standards, except for benzo(a)pyrene, naphthalene, pyrene and cyanide. However, the samples collected beneath the pipe at that location, (samples 5/16, 18"-24", and 5/16, 30"-36") indicated the PAH concentrations decreased significantly.

The material inside the pipe (sample 5/15-4) indicated significantly elevated concentrations of several PAHs and various phenols. Several of the PAHs were above the 21 April 1997 Act 2 soil standards. However, only low, estimated concentrations of benzene, carbon disulfide, methylene chloride and styrene were present inside the pipe. Additionally, metals were not significantly elevated.

Following the commencement of remediation, additional soil samples were collected of the heavily-stained material that was present beneath the pipe (samples 5/28-2 and 6/12-2). At the request of the USEPA, this stained material was also excavated for disposal, although, the constituent concentrations of this material were below the 21 April 1997 Act 2 soil standards, except for benzo(a)pyrene and naphthalene. These analytical results are also summarized in Table A-1.

3.1.2 Post-Excavation Samples

As mentioned previously, visually-stained soil beneath the entire length of the pipe was excavated and loaded into dumpsters. Soil was excavated to depths ranging from 6 to 9 feet below grade, along the entire width of Flint Hill Road. Approximately 138 tons of soil (approximately 92 cubic yards) was removed from around the pipe and sent off site for disposal. Figure A-2 depicts the relative extent of the excavated area.

Following completion of the excavation, post-excavation soil samples were collected from the walls and floor of the excavation. Four floor samples and seven wall samples were collected to confirm that the remaining soil constituent concentrations were below the 21 April 1997 Act 2 soil standards that were proposed at the time of remediation. The results of the post-excavation samples are summarized in Table A-2, with their locations depicted on Figure A-2.

Although several PAHs and phenols were detected in the post-excavation samples, all concentrations were below the 21 April 1997 Act 2 soil standards, as required in the Work Plan. The VOCs (detected in only a few of the samples) metals, and cyanide concentrations in the samples were also below the Act 2 standards.

The objective of the pipe and soil excavation was to remove a section of pipe that was present beneath the road surface of Flint Hill Road, and associated visually-stained soils that contained PAH and phenolic concentrations above the 21 April 1997 Act 2 soil standards. A total of approximately 138 tons of soil (approximately 92 cubic yards) containing PAHs and phenolic compounds were removed from beneath Flint Hill Road. Thus, soil removal was completed to the cleanup levels outlined in the Work Plan. The post-excavation sampling results have verified that cleanup goals were achieved. The pipe and all excavated soil was treated at a permitted facility.

Tav... A-I Analytical Results of Excavated Soil Flint Hill Road Site Swedeland, Pennsylvania

Note: These analytical results represent soll that was excavated and sent off site for disposal.

Cl ofdureS			5/15-1	5415-3	5/15-4	5/16-18"-24"	5/16-30"-36"	\$728-2**	6/12-2
Sample Depth (ft) Pennsylvania	() Pennsylvania	Pennsylvania	•	₹	₹.	1.5-2	2.5-3	7	₩.
Sample Location	Sample Location Act 2 Non-Res.	Act 2 Non-Res.	beside	beside	3	below pipe	below pipe	llew	Hew
•	Subsurface Soil		Z,	Pipe	from pipe		•		
Sample Dek	Sample Date Standard	Standard	05/15/97	16751750	16/51/50	16/91/50	16/91/50	05/28/97	06/12/97
	TR No. (2-15 feet)	(TDS <2500)	029122	029124	029125	029126	721620	ž	030058
Analytical Parameter									
Volsille Organic Compounds (uz/kg)									
Acetone	10,000,000	1,000,000	-	>	-	-	>	>	ם
Benzene	230,000	8	. =	-	73	>	2	>	3
Carbon Disselfide	10,000,000	410,000	>	>	7	⊃	Þ	-	•
Ethylbeazene	10,000,000	000'02	-	∍	-	>	Þ	>	=
Methylene Chloride	4,000,000	200	77	7	79	7	>	=	-
Styrene	10,000,000	24,000	-	∍	2	>	>	5	2
Toluene	10,000,000	100,000	-	-	-	¬	-	-	<u>-</u>
Xylene (total)	10,000,000	000'000'1	2	ח	n	-	-	-	001
Total Petroleum Hydrocarbans (mg/kg)	¥z	¥	8	116	*	157	8.09	ž	× Z
Sendvolnille Organic Compounds (µg/kg) 2-Methylnarshihatene	10,000,000	10,000,000	6.400	98	450.000	38	169	=	25 000
2-Methylphenol	1,100,000	10,000	ב	-	250	Þ	-) >	ב
4-Methylphenol	190,000,000	100,000	ר	ם	170)	Ω	-	ב	2003
Acenaphibene	190,000,000	4,300,000	4,900	280)	65,000	795	(83)	2901	3,900
Aceaphthylene	190,000,000	4,400,000	24,000	4,400	1,100,000	000'1	1,200	1,700	20,000
Antiracene	190,000,000	230,000	29,000	9,500	2,200,000	9	630	4003	40,000
Benzo(a)anthracene	000'000'061	320,000	91,000	10,000	980,000	2,000	2,300	4801	46,000
Beazo(a)pyrene	000'000'061	46,000	120,000	11,000	1,100,000	2,700	3,200	3103	000,00
Beazo(b)/Suoranthene	190,000,000	160,000	92,000	8,900	920,000	2,000	2,800	330)	43,000
Beazo(g,h,i)perytene	000'000'06!	180,000	28,000	7,900	750,000	06.1	2,000	2003	34,000
Benzo(k)Auoranthene	190,000,000	900'009	10,000	8 ,700	780,000	2,200	2,200	1091	39,000
bis(2-Ethythexyt)phthalate	000'000'01	130,000	<u>8</u>	5	5	5	2	>	1.100
Carbazole	ž	¥	900,91	2,100	460,000	36	10	>	20,000
Chrysone	190,000,000	220,000	10,000	12,000	1,000,000	2,100	2,700	3001	46,000
Dibenzo(a,h)anthracene	190,000,000	000'091	000.91	008.	000'00	470	8	>	000,1
Dibenzofuran	₹	¥Z	37,000	2,100	620,000	760	220	>	28,000
Fluoranthene	190,000,000	3,300,000	240,000	21,000	3,000,000	4,100	4,400	2,300	150,000
Fluorene	190,000,000	380,000	000,7	4,600	1,000,000	904	440	2,000	38,000
Indeno(1,2,3-ed)pyrene	000'000'061	28,000,000	63,000	8.100 8.100	810,000	2,000	2,200	2201	39,000
Naphthalene	19,000,000	2,000	39,000	9,000	830,000	<u> </u>	1201	1.100	200,000
Phenandurene	000'000'061	11,000,000	240,000	16,000	3,600,000	2,300	2,700	1,200	150,000
Pienal	000'000'061	400,000	-	¬	6003	>	>	Þ	4101
Pyrene	000'000'061	220,000	240,000	22,000	2,800,000	3,500	4,800	710	110,000
Sample account by ERM-FAST									

AR306268

Table A-2 Post-Excavatı. C. nple Results Flint Hill Road Site Swedeland, Pennsylvania

Sample Depth ((1) Pennsy Sample Location Act 2 N Sample Date Standar Sample Date Standar Analytical Parameter Compounds (lig/Lg)	Peansylvania Aci 2 Non-Rea. Subsurface Soil Standard (2-15 feet)	Pennsylvania Act 2 Non-Res. Soit to GW	• 🝹	• 1	foor	Roor Foor	9	w i	-	-	•	•	•	
Sample Location Act 2 N Sample Date Standar TR No. (2-15 fc Analytical Parameter Compounds (light.g)	Non-Res. face Soil and	Act 2 Non-Res. Soil to GW	Dev	7	floor	Roor	Berry	•	,		•	•		
Subsurf Sample Date Standar TR No. (2-15 fo Analytical Parameter Compensade (lag/Lg)	face Soil and	Soil to GW	!						-	Book	7	9	• 1	
Sample Date Standar TR No. (2-15 ft Analytical Parameter Compounds (lightg)	ę (9							į			į	į	į	
Analytical Parameter Compounds (lag.l.g.)	g (2		Carcaso			20000	74,10,000	-						
Analytical Parameter Compounds (paging)	Ē	2000 - 3000	10000	1647760	030003	1607100	16/71/00	167170	16/1/20	1667110	16/57/10	01/25/97	01/24/97	
Compounds (Lighte)		(0007< 011)	Iconco	70000	CCONTO	030039	00000	nymor	50000	¥7670	029233	952620	029257	
Compounds (Supply)														
	10,000,000	900 000	1	5	•		•	:	:	:	:	•	;	
Disaifide axtes na Chlorida	330 000	000,000,	; :	X =	2 :	> ;	> :	:	> :	> :	> :	> :	> :	
4	250,000	200	;	.	> :	a :	- :	.	:	:	-	-	-	
Nortde	000'000'01	410,000	7	>	9	>	>	-	>	>	>	>	>	
	10,000,000	70,000	>	>	=	7	>	>	=	-	-	>	>	
	4,000,000	88	R	>	-	-	2	>	>	>	ם	>	7	
Stynese	10,000,000	24,000	>	>	>	2	5	>	-	>	=	=	=	
Toleane	10,000,000	100,000	-	5	5	33	7	.	-	>	2	=	=	
Xylene (total)	10,000,000	1,000,000	⊋	>	2	2	-	>	72	5	2		, =	
								÷	•				,	
Total Petroleum Hydrocarbans (mg/kg)	ź	ž	ž	ž	ž	¥	ž	ž	ž	¥	¥	ź	¥	
Sendvalathe Organic Compounds (pg/kg)					•									
2-Methyhaphthalens	10,000,000	10,000,000	3	>	· =	1601	-	2	8	-	=	2	=	
	000,001,1	10,000	2	>	-	Þ	2	Þ	>	· •	=) =) =	
	190,000,000	900 001	>	>	Ð	-	=	>	· =	=		· =) =	
	190,000,000	4,300,000	1,400	3,400	9	621	1603	>	136	. =	2	=		7
Aceasphalytene	190,000,000	4,400,000	2,806	2101	>	370	3	· •	\$	=	=	. =	=	i.i.
	190,000,000	230,000	12,000	1,300	>	780	>	· =	7,007	· >	=) Z	=	1 · · · · · · · · · · · · · · · · · · ·
enza(a)anthracena	190,000,000	320,000	10,000	1,200	116	\$	•	•	9	=	5) <u>=</u>	> \$	
Denzo(a)pyrese	000'000'061	900'99	8	52	573	1,300	393	-	2	>	9,0) =	2 9	<i>X</i> ₁
Thems .	190,000,000	160,000	6,100	2.9	62	007,1	-	Þ	115	380	8	\$	8	
Beazo(g.), Uperytene	190,000,000	180,000	3,900	3	>	000'1	Ð	. =	3	=	7	=	} =	
	190,000,000	900'009	9,800	3	6	1,200	>	•	581	: :	=) =	,) =	
bis(2-Edrythezyt)phthalase	10,000,000	130,000	ə	5	Þ	34	Þ	>	, ⊃) >	· =	-	> =	
	¥.	¥	9,200	-	23	\$	2007	.	520	· >	300	=	ğ	
Chrystan	190,000,000	220,000	8,500	1,300	102	3.1 8	25	5	779	· >	940) =	} 9	
Dibenzo(a,b)aesthraceae	190,000,000	160,000	904,	<u> </u>	>	2403	>	>	>	>	=	· =	=	
Diberzofuran	¥	×	2,600	2,100	Ş	<u> 1091</u>	3	>	98		· >	·· >	-=	
Hornesteene 1	190,000,000	3,300,000	24,000	2,300	280)	008'1	120	>	420	>	2.200) 	9 5	
	190,000,000	390,000	14,000	3,300	\$	2207	ב	Þ	5£	.	D	>	 =	
-cd)pyrens	190,000,000	28,000,000	5. 100	\$	>	1,200	>	Ð	413	>	410	,	=	
	190,000,000	3,000	¥,900	2807	2	2,700	>	>	2,400	=	-	3	1,700	
Memoriteces 19	190,000,000	11,000,000	000'01	3 00	3007 3007	901.	Þ	>	0061	>	997	-	1,200	
Menol	190,000,000	400,000	>	>	>	>	Þ	-	ם	>	2	-	=	
Pyrene	190,000,000	220,000	22,000	2,200	52	009'1	120	>	3508	-	=	=	Ę	

AR306269

Figure A-1 Site Location Map Upper Merion Township, Pennsylvania

